

1722a  
PHARMACOPOEIA

COLLEGII REGII

MEDICORUM

EDINBURGENSIS.

---

EDINBURGI:  
APUD JOANNEM BELL; ET  
LONDINI,  
APUD GEO. ROBINSON.  
MDCCLXXXIII.

//



Jos: Banks

GEORGIO III.

DEI GRATIA,  
MAGNÆ BRITANNIÆ,  
FRANCIÆ, ET HIBERNIÆ,  
REGI;

REGUM OPTIMO,  
SCIENTIARUM ARTIUMQUE  
PATRONO;

COLLEGIUM REGIUM  
MEDICORUM  
EDINBURGENSE  
PHARMACOPOEIAM SUAM,  
SUMMA VENERATIONE,  
DICAT CONSECRATQUE.



RECEIVED

OFFICE OF THE SECRETARY OF THE ARMY

WASHINGTON, D. C.

SEPTEMBER 1, 1901

TO THE SECRETARY

OF THE ARMY

FROM THE SECRETARY OF THE ARMY

RECEIVED

OFFICE OF THE SECRETARY OF THE ARMY

WASHINGTON, D. C.

SEPTEMBER 1, 1901

TO THE SECRETARY

OF THE ARMY

FROM THE SECRETARY OF THE ARMY

## NOMINA SOCIORUM.

ALEXANDER MONRO, *Præses et Elect. et in Acad. Edinb. Medicin. Anatom. et Chirurg. Prof.*

D. Alexander Dick, *Baronetus.*

Jacobus Baird.

Stuartus Threipland, *Elect.*

Jacobus Lind, *Nosocom. Haslar. Med.*

Colinus Drummond.

Franciscus Home, *Elect. Med. Reg. et in Acad. Edinb. Medicin. et Mat. Med. Prof.*

Gulielmus Cumming.

Alexander Stevenson, *in Acad. Glasg. Medicin. Prof.*

Gulielmus Cullen, *Elect. Med. Reg. Primar. et in Acad. Edinb. Medicin. Pract. Prof.*

Gregorius



vi NOMINA SOCIORUM.

Gregorius Grant, *Elect.*

Gulielmus Baylies.

Thomas Glen.

Joannes Gardiner, *Elect. et Bibliothecarius.*

Joannes Hope, *Elect. et in Acad. Edinb. Medicin. et Botan. Prof. et Nosocom. Reg. Edinb. Med.*

Thomas Young, *in Acad. Edinb. Artis Obstetric. Prof.*

Gulielmus Butter.

Jacobus Walker.

Thomas Livingstone.

Robertus Petrie.

Maxwell Garthshore.

Andreas Wilfon.

Joannes Morgan, *in Schol. Illustr. Philadelph. Med. Prof.*

Joannes

NOMINA SOCIORUM. vii

Joannes Stedman, *Censor, et Nosocom.*

*Reg. Edinb. Med.*

Jacobus Hay, *Collegii ab Ærario, Rei*

*Militaris in Nosocom. Regio Edinb.*

*Inspector.*

Josephus Black, *Censor, et in Acad.*

*Edinb. Medicin. et Chem. Prof.*

Jacobus Mackittrick.

Gulielmus Shippen, *in Schol. Illustr.*

*Philadelph. Anatom. Prof.*

Gulielmus Macfarlane, *ab Macfar-*

*lane.*

Jacobus Spence.

Jacobus Lind.

Andreas Duncan.

Jacobus Hamilton, *Nosocom. Regii*

*Edinb. Med.*

Gulielmus Buchan.

Robertus Hamilton.

Edwardus



†lii NOMINA SOCIORUM.

Edwardus Spry.  
Nathaniel Spens.  
Jacobus Hunter.  
Robertus Langlands.  
Daniel Rutherford, *Collegii ab Epistolis.*  
Jacobus Gregory, *in Acad. Edinb. Medicin. Theor. Prof.*  
Arnoldus Bartholomeus Beerenbrock.  
Jacobus Hamilton.  
Gulielmus Wright.  
Thomas Gillespie.  
Thomas Meik, *Med. Reg. ad Oppidum et Præsidium Portsmouth.*  
Joannes Lind.  
Gulielmus Grieve.  
Henricus Cullen.

SOCII

NOMINA SOCIORUM. ix

SOCII HONORARIII.

HENRICUS DUX DE BUCCLEUGH.

GEORGIUS DUX DE MONTAGUE.

JOANNES COMES DE BUTE.

D. Josephus Banks, Eques, *Societat.*

*Reg. Londin. Præses.*

Comes Joannes Baptista Carburi,

*Regi Gallie a consiliis medicis, in Acad. Taurin. Medicin. Prof. Primar.*

Baro Antonius Storck, *Sacr. Cæsar.*

*Reg. Apostol. Majestat. Archiater.*

Josephus Maria Franciscus de Laf-

*sone, Regi Gallie a consiliis et Archiater, Societat. Reg. Medic. Paris.*

*Præses.*

Joannes Rogerfon, *Sacr. Cæsar. Ma-*

*jestat. Russiæ Archiater.*

Joannes



✱ NOMINA SOCIORUM.

Joannes Georgius Zimmerman, *Magne Britanniae Regis in Electorat. Hanover. Archiater.*

Petrus Camper, *in Atheneo Amstelædam. Prof. Medicin. Honorarius.*

HONORARIUS ex Officio.

Jacobus Flint, *in Acad. Andreapol. Medicin. Prof. Chandoff.*

P E R M I S S I.

David Spence.

Carolus Webster.

Carolus Stewart.

L E C.

## LECTORI S.

**Q**UANTUM Pharmacopœia nostra, ultima ejus editione, aucta atque emendata fuerit, dicere, hujus haud est loci. Ante vero quam prelo denuo subjiceretur, totam, qua potuerimus cura et diligentia, retractavimus et castigavimus.

In hac igitur, septima, ejus editione, pauca quæ in priore occurrunt refecimus, nonnulla adjecimus, plura emendavimus. Remediorum quorundam compositorum nomina cum aliis commutavimus, quæ veram eorum naturam et partes præcipuas planius et accuratius designarent.



signarent. Menfuris demum prorsus repudiatis, omnia medicamenta pondere solo definivimus, diligentissime tamen caventes ne inde vis compositorum, quæ simplicia valentiora habent, aut augeatur aut minuatur.

*Datum EDINBURGI, ex ædibus Collegii, die Novembris octavo, 1782.*

PON-

## PONDERUM RATIO.

CUM haud levis in re medicamentaria sæpe oriatur error ex promiscuo mensurarum et ponderum diverſi valoris uſu, hic diligenter notari volumus, quod omnia medicamenta, ſive ſolida fuerint ſive fluida, ad trutinam revocare decrevimus, iſto tantum ponderum genere in poſterum uſuri lingua vernacula vocato *Troy weight*, quod in hunc modum dividimus.

Libra	}	valet	{	uncias duodecim.
Uncia				drachmas octo.
Drachma				ſcrupulos tres.
Scrupulus				grana viginti.

ORDO





# ORDO CAPITUM.

	Pag.
MATERIA MEDICA, -	I
PRÆPARATA ET COMPOSITA,	69
SIMPLICIUM PRÆPARATIONES,	71
CONSERVÆ, -	79
SUCCI, - -	81
SUCCI SPISSATI, - -	82
OLEA EXPRESSA, -	85
EMULSIONES, - -	86
INFUSA, - -	87
DECOCTA, - -	93
VINA, - -	97
ACETA, - -	102
TINCTURÆ, - -	103
EXTRACTA, - -	128
AQUÆ STILLATITIÆ SIMPLI-	
CES, - -	131

AQUÆ



# **xvi ORDO CAPITUM.**

	Pag.
<b>AQUÆ STILLATITIÆ SPIRI-</b>	
<b>TUOSÆ, -</b>	<b>133</b>
<b>SPIRITUS STILLATITH,</b>	<b>135</b>
<b>OLEA STILLATITIA, -</b>	<b>137</b>
<b>OLEOSA, - -</b>	<b>142</b>
<b>SALES ET SALINA, -</b>	<b>143</b>
<b>METALLICA, - -</b>	<b>168</b>
<b>SYRUP, - -</b>	<b>190</b>
<b>PULVERES, - -</b>	<b>201</b>
<b>ELECTUARIA, - -</b>	<b>205</b>
<b>PILULÆ, - -</b>	<b>210</b>
<b>TROCHISCI, - -</b>	<b>219</b>
<b>LINIMENTA, UNGUENTA, ET</b>	
<b>CERATA, -</b>	<b>223</b>
<b>EMPLASTRA, - -</b>	<b>229</b>

# MATERIA MEDICA;

S I V E,

CATALOGUS MEDICAMENTORUM SIMPLICIUM ET QUORUNDAM PRÆPARATORUM, QUÆ A PHARMACOPOEO IPSO NON PRÆPARANTUR, SED IN OFFICINA EJUS SEMPER PRÆSTO ESSE DEBENT.





## MATERIA MEDICA.

ABROTANUM. In usu est *Herba*.

*Artemisia (Abrotanum) foliis ramossissimis setaceis, caule erecto suffruticoso. Linnæi Species Plantarum, Edit. 1762, pag. 1185.*

Absointhium. In usu sunt *Folia, et Summitates florentes.*

*Artemisia (Absinthium) foliis compositis multifidis, floribus subglobosis pendulis : receptaculo villosa.*

Linn. Sp. Pl. p. 1188.

Acetosa.

*Folia.*

A 2

*Rumex*



*Rumex (Acetosa) floribus dioicis, foliis oblongis sagittatis.*

L. Sp. Pl. 481.

Acetum vini.

Acidum vitriolicum.

Aconitum.

*Folia.*

*Aconitum (Napellus) foliorum laciniis linearibus superne latioribus linea exaratis.*

L. Sp. Pl. 751.

Acorus.

*Radix.*

*Calamus aromaticus.*

*Acorus (Calamus). Varietas α.*

L. Sp. Pl. 462.

Ærugo.

Agaricus.

Agaricus.

*Boletus (igniarius) acaulis pulvinatus lævis, poris tenuissimis.*

L. Sp. Pl. 1645.

Allium.

Radix.

*Allium (sativum) caule planifolio bulbifero, bulbo composito, staminibus tricuspidatis.* L. Sp. Pl. 425.

Aloe hepatica.

Gummi Resina.

*Aloe (perfoliata) floribus pedunculatis cernuis corymbosis subcylindricis. Var. vera. foliis spinosis confertis dentatis vaginantibus planis maculatis.* L. Sp. Pl. 458.

Aloe Socotorina.

Gummi Resina.

*Aloe (perfoliata) floribus pedunculatis*



*tis cernuis corymbosis subcylindricis. Var. ξ. Aloe Succotrina angustifolia spinosa, flore purpureo. Com. hort. 1. p. 9. t. 48.*

L. Sp. Pl. 458.

Althæa.

Radix.

*Althæa (officinalis) foliis simplicibus tomentosis.*

L. Sp. Pl. 966.

Alumen.

Amygdalæ amaræ.

Semen.

*Amygdalus (communis) foliis serraturis infimis glandulosis, floribus sessilibus geminis. Var. γ. Amygdalus amara. Tournef. inst. 627.*

L. Sp. Pl. 677.

Amygdalæ

Amygdalæ dulces.

Semen.

*Amygdalus (communis) foliis serraturis infimis glandulosis, floribus sessilibus geminis. Var. β. Amygdalus sativa. Bauh. pin. 441. L. Sp. Pl. 677.*

Anchusa.

Radix.

*Anchusa (tinctoria) tomentosa, foliis lanceolatis obtusis, staminibus corolla brevioribus. L. Sp. Pl. 192.*

Anethum.

Semen.

*Anethum (graveolens) fructibus compressis. L. Sp. Pl. 377.*

Angelica sativa. Radix, Folia, Semen.

*Angelica (Archangelica) foliorum impari lobato. L. Sp. Pl. 360.*



Angelica sylvestris. Radix.

*Angelica (sylvestris) foliis equalibus  
ovato-lanceolatis serratis.*

L. Sp. Pl. 361.

Anisum. Semen.

*Pimpinella (Anisum) foliis radicali-  
bus trifidis incis. L. Sp. Pl. 379.*

Antimonium.

*Stibium.*

Aqua stillatitia florum Aurantiorum  
Hispalensium.

Aristolochia tenuis. Radix.

*Aristolochia (clematitis) foliis corda-  
tis, caule erecto, floribus axilla-  
ribus confertis. L. Sp. Pl. 1364.*

Arnica.

Arnica.

Flores, Radix.

*Arnica (montana) foliis ovatis integris : caulinis geminis oppositis.*

L. Sp. Pl. 1245.

Artemisia.

Folia.

*Artemisia (vulgaris) foliis pinnatifidis planis incisus subtus tomentosis, racemis simplicibus recurvatis, floribus radio quinquefloro. Linnæi Systema Naturæ, Edit. 1774, pag. 619.*

Arum.

Radix.

*Arum (maculatum) acaule, foliis hastatis integerrimis, spadice clavato.*

L. Sp. Pl. 1370.

Afa foetida.

Gummi Resina.

Planta,



*Planta, quæ hanc Gummi Resinam  
prebet, æstate proxima, in horto  
Botanico Edinensi pulchre floruit,  
et semina plurima tulit: Descriptio  
ejus, cum icone, mox proditura est.*

*Asarum.*

*Folia.*

*Asarum (Europæum) foliis reniformi-  
bus obtusis binis. L. Sp. Pl. 633.*

*Atriplex foetida.*

*Herba.*

*Chenopodium (vulvaria) foliis inte-  
gerrimis rhombo-ovatis, floribus  
conglomeratis axillaribus.*

*L. Sp. Pl. 321.*

*Aurantium Hispalense.*

*Folia,*

*Flores, fructus succus,  
et cortex exterior.*

*Citrus*

*Citrus (Aurantium) petiolis alatis.*

L. Sp. Pl. 1100.

*Axungia porcina.*

*Sus (scrofa) dorso antice setoso, cauda  
pilosa. L. S. A. Edit. 12. p. 102.*

*Balaustia. Vide Granata malus.*

*Balsamum Canadense.*

*Pinus (Balsamea) foliis solitariis sub-  
emarginatis : subtus linea duplici  
punctata. L. Sp. Pl. 1421.*

*Balsamum Copaibæ.*

*Copaifera (officinalis). L. S. N. 341.*

*Balsamum Gileadense.*

*Amyris*



*Amyris (Gileadensis) foliis ternatis  
integerrimis, pedunculis unifloris  
lateralibus.* L. S. N. 299.

**Balsamum Peruvianum.**

*Myroxylon (perniferum).* Lin. Fil.  
Supplement. Plant. 1781, p. 233.

**Balsamum Tolutanum.**

*Toluijera (Balsamum).*  
L. Sp. Pl. 549.

**Bardana.**

*Radix.*

*Arctium (lappa) foliis cordatis iner-  
mibus petiolatis.* L. Sp. Pl. 1143.

**Belladonna.**

*Folia.*

*Solanum lethale.*

*Atropa*

*Atropa (Belladonna) caule herbaceo,  
foliis ovatis integris.*

L. Sp. Pl. 260.

Benzoinum.

*Resina.*

*Terminalia (Benzoin) foliis lanceola-  
tis.*

L. Supp. Pl. 434.

Bistorta.

*Radix.*

*Polygonum (Bistorta) caule simplicif-  
simo monostachyo, foliis ovatis in  
petiolum decurrentibus.*

L. Sp. Pl. 516.

Bolus Gallica.

Borax.

Bryonia.

*Radix.*

*Bryonia*



*Bryonia (alba) foliis palmatis utrinque calloso-scabris. L. Sp. Pl. 1438.*

**Calamus aromaticus.** *Vide Acorus.*

**Calx viva.**

**Camphora.**

*Laurus (Camphora) foliis triplinerviis lanceolato-ovatis.*

*L. Sp. Pl. 528.*

**Canella alba.**

*Cortex.*

*Winterania Canella. L. Suppl. p. 247.*

*Canella foliis oblongis obtusis nitidis, racemis terminalibus. Brown Jamaica. 275.*

**Cantharides.**

*Meloe*

*Meloe (vesicatorius) alatus viridissimus nitens, antennis nigris.*

L. S. N. 679.

Cardamine.

*Petala, Folia.*

*Cardamine (pratensis) foliis pinnatis: foliolis radicalibus subrotundis: caulinis lanceolatis.*

L. Sp. Pl. 915.

Cardamomum minus. *Semen decor-  
ticatum.*

*Amomum (Cardamomum) scapo simplicissimo brevissimo, bracteis alternis laxis.*

L. Sp. Pl. 2.

Carduus benedictus.

*Herba.*

*Centaurea (benedicta) calycibus duplicato spinosis lanatis involu-  
cratis,*



*tis, foliis semidecurrentibus denticulato-spinosis. L. Sp. Pl. 1296.*

**Carica.**

*Fructus.*

*Ficus (Carica) foliis palmatis.*

*L. Sp. Pl. 1513.*

**Carvi.**

*Semen.*

*Carum (Carvi).*

*L. Sp. Pl. 378.*

**Caryophylla aromatica.**

*Fructus.*

*Caryophyllus (aromaticus).*

*L. Sp. Pl. 735.*

**Caryophylla rubra.**

*Flores.*

*Dianthus (Caryophyllus) floribus solitariis: squamis calycinis subovatis brevissimis, corollis crenatis.*

*L. Sp. Pl. 587.*

*Cascarilla.*

Cascarilla.

Cortex.

*Croton (Cascarilla) foliis lanceolatis  
acutis integerrimis petiolatis sub-  
tus tomentosis, caule arboreo.*

L. Sp. Pl. 1424.

Cassia fistularis.

Fructus pulpa.

*Cassia (fistula) foliis quinquejugis o-  
vatis acuminatis glabris, petiolis  
eglandulatis.*

L. Sp. Pl. 540.

Cassia lignea.

*Laurus (Cassia) foliis triplinerviis  
lanceolatis.*

L. Sp. Pl. 528.

Castoreum.

*Castor (Fiber) cauda ovata plana.*

L. S. N. 78.

B

Centaurium



**Centaurium minus.**     *Summitates flo-  
rentes.*

*Gentiana (Centaurium) corollis quin-  
quefidis infundibuliformibus, caule  
dichotomo.*     L. Sp. Pl. 332.

**Cera alba et flava.**

**Ceruffa.**

**Chamæmelum.**     *Herba et Flores.*  
*Anthemis (nobilis) foliis pinnato-com-  
positis linearibus acutis subvillosis.*  
L. Sp. Pl. 1260.

**Cicuta.**     *Folia, Semen.*  
*Conium (maculatum) seminibus stria-  
tis.*     L. Sp. Pl. 349.

**Cinara hortensis.**     *Folia.*  
*Cynara*

*Cynara* (*Scolymus*) *foliis subspinosis pinnatis indivisisque, calycinis squamis ovatis. Var. γ. Cinara hortensis, foliis non aculeatis. Bauh. pin. 383.*

L. Sp. Pl. 1159.

Cinnabaris factitia.

Cinnamomum. *Cortex et ejus oleum stillatitium.*

*Laurus* (*Cinnamomum*) *foliis triner- viis ovato-oblongis, nervis versus apicem evanescentibus.*

L. Sp. Pl. 528.

Cochinilla.

*Coccus* (*cacti*) *cacti coccinelliferi.*

L. S. N. 742.

B 2

Cochlearia.



Cochlearia.

*Herba.*

*Cochlearia (officinalis) foliis radica-  
libus subrotundis, caulinis oblongis  
subsinuatis. L. Sp. Pl. 903.*

Colchicum.

*Radix.*

*Colchicum (autumnale) foliis planis  
lanceolatis erectis. L. Sp. Pl. 485.*

Colocynthis. *Fructus, cortice semi-  
nibusque abjectis.*

*Cucumis (Colocynthis) foliis multifi-  
dis, pomis globosis glabris.  
L. Sp. Pl. 1435.*

Colomba.

*Radix.*

Contrayerva.

*Radix.**Dorstenia.*

*Dorstenia. Dentariæ radice, sphondylii folio, placenta ovali.*

Act. Anglic. vol. 37. p. 195. fig. 1.

Convallaria.

Radix.

*Sigillum Solomonis.*

*Convallaria (Polygonatum) foliis alternis amplexicaulibus, caule ancipiti, pedunculis axillaribus subunifloris.*

L. Sp. Pl. 451.

Coriandrum.

Semen.

*Coriandrum (sativum) fructibus globosis.*

L. Sp. Pl. 367.

Cortex Peruvianus.

*Cinchona (officinalis) panicula brachiata.*

L. Sp. Pl. 244.

B 3

Cubebæ.



Cubebæ.

Fructus.

*Piper (Cubeba) foliis oblique ovatis,  
f. oblongis venosis acutis, spica so-  
litaria pedunculata oppositifolia,  
fructibus pedicellatis.*

Lin. Suppl. Plant. 90.

Cuminum.

Semen.

*Cuminum (Cuminum). L. Sp. Pl. 365.*

Curcuma.

Radix.

*Curcuma (longa) foliis lanceolatis :  
nervis lateralibus numerosissimis.*

L. Sp. Pl. 3.

Curfuta.

Radix.

Cydonia mala, et eorum femina.

*Pyrus.*

*Pyrus* (*Cydonia*) *foliis integerrimis,*  
*floribus solitariis.* L. Sp. Pl. 687.

*Daucus sylvestris.* *Semen.*

*Daucus* (*Carota*) *seminibus hispidis,*  
*petiolis subtus nervosis.*

L. Sp. Pl. 348.

*Dens leonis.* *vide Taraxacum.*

*Dictamnus albus.* *Radix.*

*Dictamnus* (*albus*). L. Sp. Pl. 548.

*Digitalis purpurea.* *Folia.*

*Digitalis* (*purpurea*) *calycinis folio-*  
*lis ovatis acutis, corollis obtusis :*  
*labio superiore integro.*

L. Sp. Pl. 866.



Dolichos. *Pubes leguminis rigida.*

*Dolichos (pruriens) volubilis, leguminibus racemosis hirtis : valvulis subcarinatis, pedunculis ternis.*

L. Sp. Pl. 1019.

Dulcamara.

*Stipites.*

*Solanum (Dulcamara) caule inermi frutescente flexuoso, foliis superioribus hastatis, racemis cymosis.*

L. Sp. Pl. 264.

Elaterium. *Fructus succi fœcula.*

*Momordica (Elaterium) pomis hispidis, cirrhis nullis.* L. Sp. Pl. 1434.

Enula campana. *vide Helenium.*

Filix mas.

*Radix.*

*Polypodium*

*Polypodium (Filix mas) frondibus bipinnatis : pinnis obtusis crenulatis, stipite paleaceo. L. Sp. Pl. 1551.*

**Flammula Jovis.** *Folia, Flores.*

*Clematis (recta) foliis pinnatis : foliolis ovato-lanceolatis integerrimis, caule erecto, floribus pentapetalis tetrapetalisque.*

*L. Sp. Pl. 767.*

**Fœniculum dulce.** *Semen.*

*Anethum (Fœniculum) fructibus ovatis.*

*L. Sp. Pl. 377.*

**Fœniculum vulgare.** *Radix.*

*Anethum (Fœniculum) fructibus ovatis. Var. β.*

*L. Sp. Pl. 377.*

**Fœnum**



Fœnum Græcum.

Semen.

*Trigonella (Fœnum Græcum) leguminibus sessilibus strictis erectiusculis subfalcatis acuminatis, caule erecto.*

L. Sp. Pl. 1095.

Fuligo ligni.

Fumaria.

Herba.

*Fumaria (officinalis) pericarpis monospermis racemosis, caule diffuso.*

L. Sp. Pl. 984.

Galbanum.

*Bubon (Galbanum) foliolis rhombeis dentatis glabris striatis, umbellis paucis.*

L. Sp. Pl. 364.

Gallæ.

Gallæ.

*Cynipidis nidi.**Robur* 3. *Quercus, Cerrus.**Clus. histor. i. p. 18.*

Gambogia.

*Gummi Resina.**Cambogia (gutta). L. Sp. Pl. 728.*

Genista.

*Summitates.**Spartium (scoparium) foliis ternatis  
solitariisq̃ue, ramis inermibus an-  
gulatis.**L. Sp. Pl. 996.*

Gentiana.

*Radix.**Gentiana (lutea) corollis subquinque-  
fidis rotatis verticillatis, calycibus  
spathaceis. L. Syst. Nat. 221.*

Geoffræa.

*Cortex.**lingua vernacula, Cabbage-bark.**Geoffræa*



*Geoffrea (inermis).*

Act. Anglic. vol. 67. p. 507. tab. x.

Ginseng.

*Radix.*

*Panax (quinquefolium) foliis ternis  
quinatis.*

L. Sp. Pl. 1512.

Glycyrrhiza.

*Radix.*

*Glycyrrhiza (glabra) leguminibus  
glabris, stipulis nullis, foliolo im-  
pari petiolato.*

L. S. N. 557.

Granata malus.

*Cortex, fructus,*

*Flores pleni*

*Balaustia dicti.*

*Punica (Granatum) foliis lanceolatis,  
caule arboreo. Var. β.*

L. Sp. Pl. 676.

Gratiola.

Gratiola.

Herba.

*Gratiola (officinalis) floribus peduncu-*  
*culatis, foliis lanceolatis serratis.*

L. Sp. Pl. 24.

Guajacum.

Lignum, Gummi.

*Guajacum (officinale) foliolis bijugis*  
*obtusis.*

L. Sp. Pl. 546.

Gummi Ammoniacum.

Gummi Arabicum.

*Mimosa (nilotica) spinis stipularibus*  
*patentibus, foliis bipinnatis: par-*  
*tialibus extimis glandula inter-*  
*stinctis, spicis globosis peduncula-*  
*tis.*

L. Sp. Pl. 1506.

Gummi tragacantha.

*Astragalus*



*Astragalus (tragacantha) caudice ar-  
borescente, petiolis spinescentibus.*

L. Sp. Pl. 1073.

**Hedera terrestris.**

*Herba.*

*Glechoma (hederacea) foliis renifor-  
mibus crenatis.* L. Sp. Pl. 807.

**Helenium.**

*Radix.*

*Enula Campana.*

*Inula (Helenium) foliis amplexicau-  
libus ovatis rugosis: subtus tomen-  
tosis, calycum squamis ovatis.*

L. Sp. Pl. 1236.

**Helleborus albus. vide Veratrum.**

**Helleborus niger. vide Melampo-  
dium.**

**Hyppocastanum.**

Hippocastanum. *Fructus.*

*Æsculus (Hippocastanum) floribus heptandris.* L. Sp. Pl. 488.

Hydrargyrus.

*Argentum vivum.*

*Mercurius.*

Hydrolapathum. *Radix.*

*Rumex (aquaticus) floribus hermaphroditis : valvulis integerrimis nudis, foliis cordatis glabris acutis.* L. S. N. 285.

Hyoscyamus. *Herba, Semen.*

*Hyoscyamus (niger) foliis amplexicaulibus sinuatis, floribus sessilibus.* L. Sp. Pl. 257.

Hyssopus.



Hyssopus.

Herba.

*Hyssopus (officinalis) spicis secundis,  
foliis lanceolatis. L. S. N. 441.*

Jalapa.

Radix.

*Convolvulus (Jalapa) foliis diffor-  
mibus : cordatis angulatis oblon-  
gis lanceolatisque, caule volubili,  
pedunculis unifloris. L. S. N. 169.*

Imperatoria.

Radix.

*Imperatoria (ostruthium).*

L. Sp. Pl. 371.

Ipecacuanha.

Radix.

*Psychotria (emetica) herbacea, pro-  
cumbens, foliis lanceolatis glabris,  
stipulis extrafoleaceis subulatis, ca-  
pitulis*

*pitulis axillaribus pedunculatis paucifloris.* L. Suppl. 144.

Iris Florentina. Radix.

*Iris (Florentina) corollis barbatis, caule foliis altiore subbifloro, floribus sessilibus.* L. Sp. Pl. 55.

Iris palustris. Radix.

*Iris (Pseudacorus) corollis imberbibus: petalis interioribus stigmatibus minoribus, foliis ensiformibus.* L. Sp. Pl. 56.

Juniperus. Baccae.

*Juniperus (communis) foliis ternis patentibus mucronatis bacca longioribus.* L. Sp. Pl. 1470.



Kino.

Gummi.

*Gummi rubrum astringens Gambiense,*  
Lond. Med. Obs. vol. i. art. xxviii.

Lapis calaminaris.

Lavendula.

Spicæ florentes.

*Lavandula (spica) foliis lanceolatis*  
*integerrimis, spicis nudis.*

L. Sp. Pl. 800.

Laurus.

*Folia, Baccæ, baccarum*  
*oleum expressum.*

*Laurus (nobilis) foliis lanceolatis ve-*  
*nosus perennantibus, floribus qua-*  
*drifidis.*

L. S. N. 317.

Lichen.

Herba.

*Lichen (Islandicus) foliaceus adscen-*  
*dens*

*dens laciniatus : marginibus elevatis ciliatis.* L. Sp. Pl. 1611.

Lignum Campechense.

*Hæmatoxylum (Campechianum).*

L. Sp. Pl. 549.

Ligusticum.

Semen.

Levisticum.

*Ligusticum (Levisticum) foliis multiplicibus : foliolis superne incis.*

L. Sp. Pl. 359.

Lilium album.

Radix.

*Lilium (candidum) foliis sparsis, corollis campanulatis : intus glabris.*

L. Sp. Pl. 433.

Limonia mala. *Fructus, Cortex fructus, et ejus oleum vulgo Essentia dicta.*

C 2

Citrus



*Citrus (Medica) petiolis linearibus.*

*Var. β. Limon.*

L. Sp. Pl. 1100.

Linum.      *Semen, Oleum e semini-  
bus expressum.*

*Linum (usitatissimum) calycibus cap-  
sulisque mucronatis, petalis crena-  
tis, foliis lanceolatis alternis, cau-  
le subsolitario.*      L. Sp. Pl. 397.

Lithargyrus.

Lobelia.      *Radix.*

*Lobelia (siphilitica) caule erecto, fo-  
liis ovato-lanceolatis crenatis, ca-  
lycum sinibus reflexis.*

L. Sp. Pl. 1320.

Majorana.

Majorana.

Herba.

*Origanum (Majorana) foliis ovatis  
obtusis, spicis subrotundis compac-  
tis pubescentibus. L. S. N. 452.*

Malva.

Herba, Flores.

*Malva (silvestris) caule erecto her-  
baceo, foliis septemlobatis acutis,  
pedunculis petiolisque pilosis.*

L. Sp. Pl. 969.

Manna.

Succus concretus.

*Fraxinus (ornus) foliolis serratis, flo-  
ribus corollatis. L. Sp. Pl. 1510.*

Marrubium.

Herba.

*Marrubium (vulgare) dentibus caly-  
cinis setaceis uncinatis.*

L. Sp. Pl. 816.



Mars faccharatus.

Mastiche.

*Resina.*

*Pistacia (Lentiscus) foliis abrupte  
pinnatis : foliolis lanceolatis.*

L. Sp. Pl. 1455.

Melampodium.

*Radix.*

*Helleborus niger.*

*Helleborus (niger) scapo subbifloro  
subnudo, foliis pedatis.*

L. S. N. 431.

Melissa.

*Folia.*

*Melissa (officinalis) racemis axillari-  
bus verticillatis : pedicellis simpli-  
cibus.*

L. Sp. Pl. 827.

Mentha piperitis.

*Herba.*

*Mentha*

*Mentha (piperita) floribus capitatis,  
foliis ovatis petiolatis, staminibus  
corolla brevioribus. L.S.N. 444.*

*Mentha fativa.*

*Herba.*

*Mentha (viridis) spicis oblongis, fo-  
liis lanceolatis nudis serratis sessi-  
libus, staminibus corolla longiori-  
bus. L. Sp. Pl. 804.*

*Menyanthes.*

*Folia.*

*Trifolium palustre.*

*Menyanthes (trifoliata) foliis ternatis.  
L. Sp. Pl. 208.*

*Mezereon.*

*Radicis cortex.*

*Daphne (Mezereum) floribus sessili-  
bus ternis caulinis, foliis lanceola-  
tis deciduis. L. Sp. Pl. 509.*

C 4

*Millefolium.*



Millefolium. *Folia, Flores.*

*Achillea (Millefolium) foliis bipinnatis nudis : laciniis linearibus dentatis, caulibus fulcatis.*

L. Sp. Pl. 1267.

Millepedæ.

*Oniscus (asellus) ovalis, cauda obtusa, stylis simplicibus.*

L. S. Animal. 1061.

Moschus.

*Moschus (Moschiferus) folliculo umbilicali.*

L. S. Animal. 91.

Myrrha.

*Gummi Resina.*

Nasturtium aquaticum.

*Herba.*

*Sisymbrium*

*Sisymbrium (Nasturtium aquaticum)*  
*siliquis declinatis, foliis pinnatis :*  
*foliolis subcordatis.*

L. Sp. Pl. 916.

Nitrum.

Nux Moschata.

*Myristica (officinalis).*

L. Suppl. 265.

Oculi cancrorum dicti.

*Cancer (astacus) macrourus, thorace*  
*levi, rostro lateribus dentato: basi*  
*utrinque dente unico.*

L. S. Animal. 1051.

Oleum stillatitium Caryophyllorum  
aromaticorum.

Cinnamomi.

Oleum



Oleum stillatitium Corticis limonum

vulgo *Essentia*.

Florum aurantiorum

Hispalensium.

Terebinthinæ.

Oleum expressum Baccarum lauri.

Seminum lini.

Nucis moschatæ,

oleum macis

vulgo dict.

Olivarum.

Palmæ.

Seminum ricini.

Olibanum.

*Gummi Resina.*

*Juniperus (Lycia) foliis ternis undi-  
que imbricatis ovatis obtusis.*

L. Sp. Pl. 1471.

Oliva.

Oliva.           *Fructus oleum expressum.*

*Olea (Europæa) foliis lanceolatis.*

L. Sp. Pl. 11.

Opium.           *Succus inspissatus.*

*Papaver (somniferum) calycibus cap-  
sulisque glabris, foliis amplexicau-  
libus incisis.*

L. Sp. Pl. 726.

Palma.           *Fructus oleum expressum.*

*Palma foliorum pediculis spinosis,  
fructu pruniformi luteo oleoso.*

Sloane Jamaic. Adanson Seneg.

Parietaria.           *Herba.*

*Parietaria (officinalis) foliis lanceo-  
lato-ovatis, pedunculis dichotomis,  
calycibus diphyllis.*

L. S. N. 763.

Petroleum



Petroleum Barbadenfe.

Petroselinum.

Radix.

*Apium (Petroselinum) foliolis caulinis  
linearibus, involucellis minutis.*

L. Sp. Pl. 379.

Pimenta.

Fructus.

*Piper Jamaicense.*

*Myrtus (Pimenta) foliis alternis.*

L. S. N. 385.

Pimpinella.

Radix.

*Pimpinella (Saxifraga) foliis pinna-  
tis : foliolis radicalibus subrotun-  
dis ; summis linearibus.*

L. Sp. Pl. 378.

Piper Jamaicense. *vide* Pimenta.

Piper

Piper Indicum.

*Fructus.*

*Capficum (annuum) caule herbaceo,  
pedunculis solitariis.*

L. Sp. Pl. 270.

Piper longum.

*Fructus.*

*Piper (longum) foliis cordatis petio-  
latis sessilibusque.*

L. Sp. Pl. 41.

Piper nigrum.

*Fructus.*

*Piper (nigrum) foliis ovatis subsep-  
temnerviis glabris, petiolis simpli-  
cissimis.*

L. Sp. Pl. 40.

Pix Burgundica.

*Pinus (abies) foliis solitariis subula-  
tis mucronatis levibus bifariam  
versis.*

L. Sp. Pl. 1421.

Pix



**Pix liquida.**

*Pinus (sylvestris) foliis geminis: primordialibus solitariis glabris.*

L. Sp. Pl. 1418.

**Et**

*Pinus (abies) foliis solitariis subulatis mucronatis levibus bifariam versis.*

L. Sp. Pl. 1421.

**Plantago.**

*Folia.*

*Plantago (major) foliis ovatis glabris, scapo tereti, spica flosculis imbricatis.*

L. Sp. Pl. 163.

**Pulegium.**

*Herba.*

*Mentha (Pulegium) floribus verticillatis, foliis ovatis obtusis subcrenatis, caulibus subteretibus repentibus,*

*pentibus, staminibus corolla longioribus.* L. Sp. Pl. 807.

*Pulsatilla nigricans. Herba cum floribus.*

*Anemone (pratensis) pedunculo involucrato, petalis apice reflexis, foliis bipinnatis.* L. Sp. Pl. 760.

*Pyrethrum. Radix.*

*Anthemis (Pyrethrum) caulibus simplicibus unifloris decumbentibus, foliis pinnato-multifidis.*

L. Sp. Pl. 1262.

*Quassia. Lignum.*

*Quassia (amara) floribus hermaphroditis, foliis impari pinnatis : foliolis oppositis*



*oppositis sessilibus, petiolo articu-  
lato alato, floribus racemosis.*

L. Suppl. 235.

**Quercus.**

*Cortex.*

*Quercus (Robur) foliis deciduis ob-  
longis superne latioribus: sinubus  
acutioribus: angulis obtusis.*

L. Sp. Pl. 1414.

**Radix Indica Lopeziana.**

**Raphanus rusticanus.**

*Radix.*

*Cochlearia (Armoracia) foliis radi-  
calibus lanceolatis crenatis, cauli-  
nis incis.*

L. Sp. Pl. 904.

**Resina alba.**

*Pinus*

*Pinus (sylvestris) foliis geminis: primordialibus solitariis glabris.*

L. Sp. Pl. 1418.

*Et*

*Pinus (abies) foliis solitariis subulatis mucronatis levibus bifariam versis.*

L. Sp. Pl. 1421.

*Ricinus.*

*Semen et ejus oleum.*

*Ricinus (communis) foliis peltatis subpalmatis serratis.*

L. Sp. Pl. 1430.

*Rhamnus catharticus.*

*Baccarum  
succus.*

*Spina cervina.*

*Rhamnus (catharticus) spinis terminalibus, floribus quadrifidis dioicis, foliis ovatis, caule erecto.*

L. S. N. 194.

D

Rheum.



Rheum.

Radix.

*Rhabarbarum.* $\alpha$  Rheum Turcicum.*Rheum (palmatum) foliis palmatis  
acuminatis. L. S. N. 319.* $\beta$  Rheum Sinenfe.

Rhododendron (*Chrysanthemum*) foliis  
oblongis inpunctatis supra scabris  
venosissimis, corolla rotata irregu-  
lari, gemma florifera ferrugineo-  
tomentosa. L. Suppl. 237.

Rosa pallida.

Petala.

*Rosa Damascena*

Parkinson.

Rosa rubra.

Petala.

*Rosa (Gallica) germinibus ovatis  
pedunculisque*

*pedunculisque hispidis, caule petio-  
lisque hispido-aculeatis.*

L. Sp. Pl. 704.

Rosmarinus. *Summitates florentes.*

*Rosmarinus (officinalis).*

L. Sp. Pl. 33.

Rubia.

*Radix.*

*Rubia (tinctorum) foliis annuis, caule  
aculeato.*

L. S. N. 128.

Ruta.

*Herba.*

*Ruta (graveolens) foliis decompositis,  
floribus lateralibus quadrifidis.*

L. S. N. 331.

Sabina.

*Folia.*

*Juniperus (Sabina) foliis oppositis e-*

D 2

*rectis*



*rectis decurrentibus : oppositioni-  
bus pyxidatis. L. Sp. Pl. 1472.*

Sagapenum.

*Gummi Resina.*

Sal alkalinus fixus vegetabilis, præ-  
fertim is qui *Pearl-asbes* lingua  
vernacula dicitur.

Sal alkalinus fixus fossilis, vulgo sal  
fodæ ex herba kali usta.

Sal Ammoniacus.

Sal catharticus amarus.

✓ Sal cornu cervi, *i. e.* Sal alcalinus  
volatilis, ficcus, ex ossibus vel cor-  
nibus

nibus animalium igne paratus, ab  
oleo purificatus.

Sal marinus Hispanus.

Salix.

*Ramulorum cortex.*

*Salix (fragilis) foliis serratis glabris  
ovato-lanceolatis, petiolis dentato-  
glandulosis. L. Sp. Pl. 1443.*

Salvia.

*Folia.*

*Salvia (officinalis) foliis lanceolato-  
ovatis integris crenulatis, floribus  
spicatis, calycibus acutis.*

*L. Sp. Pl. 34.*

Sambucus. *Flores, Baccae, Cortex.*

*Sambucus (nigra) cymis quinqueparti-  
tis, caule arboreo. L. Sp. Pl. 385.*

D 3

Sanguis



Sanguis Draconis dict. *Gummi Resina.*

*Calamus, var. ♀. Palmijuncus Draco.*

Rumph. Amb. lib. 7. t. 58. f. 1.

L. Sp. Pl. 463.

Santalum citrinum. *Lignum.*

*Santalum (album).* L. Sp. Pl. 497.

Santalum rubrum. *Lignum.*

*Pterocarpus (Santolinus) foliis ternatis subrotundis retusis glaberrimis, petalis crenatis undulatis.*

L. Suppl. 318.

Santonicum.

*Artemisia (Austriaca).* J. Jacquin

Flora Austriaca, p. 62. t. 100.

Sapo

Sapo albus Hispanus.

Sarsaparilla.

Radix.

*Smilax (Sarsaparilla) caule aculeato  
angulato, foliis inermibus ovatis  
retuso-mucronatis trinerviis.*

L. Sp. Pl. 1459.

Sassafras.

Lignum ejusque cortex.

*Laurus (Sassafras) foliis integris tri-  
lobisque.*

L. Sp. Pl. 530.

Satyrion.

Radix.

*Orchis (mascula) bulbis indivisis,  
nectarii labio quadrilobo crenula-  
to: cornu obtuso, petalis dorsali-  
bus reflexis.*

L. Sp. Pl. 1333.

Scammonium.

Gummi Resina.

D 4

Convolvulus



*Convolvulus (Scammonia) foliis sagittatis postice truncatis, pedunculis teretibus subtrifloris.*

L. Sp. Pl. 218.

Scilla.

Radix.

*Scilla (maritima) nudiflora, bracteis refractis.*

L. Sp. Pl. 442.

Scolopendrium.

Herba.

*Lingua cervina.*

*Asplenium (Scolopendrium) frondibus simplicibus cordato-lingulatis integerrimis, stipitibus hirsutis.*

L. Sp. Pl. 1537.

Scordium.

Herba.

*Teucrium (Scordium) foliis oblongis sessilibus dentato-serratis, floribus geminis*

*geminis axillaribus pedunculatis,  
caule diffuso. L. S. N. 440.*

Seneka.

*Radix.*

*Polygala (Senega) floribus imberbi-  
bus spicatis, caule erecto herbaceo  
simplicissimo, foliis lato-lanceolatis.  
L. Sp. Pl. 990.*

Senna.

*Folia.*

*Cassia (Senna) foliis trijugis quadri-  
jugisque subovatis.  
L. Sp. Pl. 539.*

Serpentaria Virginiana.

*Radix.*

*Aristolochia (Serpentaria) foliis cor-  
dato-oblongis planis, caulibus in-  
firmis superne flexuosis teretibus,  
floribus solitariis. L. Sp. Pl. 1363.  
Serpyllum.*



Serpyllum. *Summitates florentes.*

*Thymus (Serpyllum) floribus capitatis, caulibus repentibus, foliis planis obtusis basi ciliatis.*

L. S. N. 452.

Sigillum Solomonis. *vide* Convallaria.

Simarouba. *Cortex.*

*Quassia (Simaruba) floribus monoicis, foliis abrupte pinnatis : foliolis alternis subpetiolatis, petiolo nudo, floribus paniculatis.*

L. Suppl. 234.

Sinapi album. *Semen.*

*Sinapis (alba) siliquis hispidis : rostro obliquo longissimo.*

L. Sp. Pl. 933.

Solanum

Solanum lethale. *vide* Belladonna.

Sperma ceti dictum.

*Phyfeter (macrocephalus) dorso impinni, fistula in cervice.*

L. S. N. 107.

Spigelia.

*Radix.*

*Lingua vernacula* Indian Pink.

*Spigelia (Marilandica) caule tetragono, foliis omnibus oppositis.*

L. S. N. 166.

Spina cervina. *vide* Rhamnus catharticus.

Spiritus cornu cervi, hoc est, Salis alcalini volatilis ex offibus vel cornibus animalium parati, portio volatilior



volatiliior liquida bene rectificata  
ut decolor fit.

Spiritus vinosus rectificatus ; *sive,*  
*Spiritus destillatus ex vino vel aliis*  
*liquoribus fermentatis, ab odore in-*  
*grato purificatus, cujus libra mensura*  
*sit ponderis unciarum tredecim.*

Spiritus vinosus tenuior ; *sive, Spiri-*  
*tus rectificatus cui immixta fuerit*  
*aquæ pars æqua, qualem lingua ver-*  
*nacula vocamus Proof-spirit.*

Stanni limatura et pulvis.

Stramonium.

*Herba.*

*Datura (Stramonium) pericarpis spi-*  
*nosis*

*nosis erectis ovatis, foliis ovatis  
glabris.* L. Sp. Pl. 255.

*Styrax calamita.* Resina.

*Styrax (officinale).* L. Sp. Pl. 635.

*Succinum.*

*Sulphuris flores.*

*Tamarindus.* Fructus.

*Tamarindus (Indica).*

L. Sp. Pl. 48.

*Tanacetum.* Folia, Flores.

*Tanacetum (vulgare) foliis bipinnatis  
incisis serratis.* L. Sp. Pl. 1184.

*Taraxacum.* Herba, Radix.

Dens



*Dens leonis.*

*Leontodon (Taraxacum) calyce squamis inferne reflexis, foliis runcinatis denticulatis levibus.*

L. S. N. 596.

*Tartari chrystalli.**Terebinthina Veneta.*

*Resina.*

*Pinus (Larix) foliis fasciculatis obtusis.*

L. Sp. Pl. 1420.

*Terra Japonica dicta. Extractum.*

*Mimosa (catechu) spinis stipularibus, foliis bipinnatis multijugis : glandulis partialium singulis, spicis axillaribus geminis; s. ternis pendunculatis.*

L. Suppl. 439.

*Thymus.*

Thymus.

Herba.

*Thymus (vulgaris) erectus, foliis re-*  
*volutis ovatis, floribus verticilla-*  
*to-spicatis.* L. Sp. Pl. 825.

Tormentilla.

Radix.

*Tormentilla (erecta) caule erectiusculo,*  
*foliis sessilibus.* L. Sp. Pl. 716.

Tragacantha. *vide* Gummi.

Trichomanes.

Herba.

*Asplenium (Trichomanes) frondibus*  
*pinnatis : pinnis subrotundis cre-*  
*natis.* L. Sp. Pl. 1540.

*Trifolium palustre. vide* Menyan-  
thes.

Tuffilago.



**Tussilago.** *Folia, Flores.*

*Tussilago (Farfara) scapo imbricato  
unifloro, foliis subcordatis angula-  
tis denticulatis. L. Sp. Pl. 1214.*

**Tutia.**

**Valeriana sylvestris.** *Radix.*

*Valeriana (officinalis) floribus trian-  
dris, foliis omnibus pinnatis.*

*L. Sp. Pl. 45.*

**Veratrum.** *Radix.*

*Helleborus albus.*

*Veratrum (album) racemo<sup>A</sup> suprade-  
composito, corollis erectis.*

*L. Sp. Pl. 1479.*

**Verbascum.** *Folia.*

*Verbascum*

*Verbascum (Thapsus) foliis decurren-  
tibus utrinque tomentosis, caule sim-  
plici.* L. S. N. 183.

Viola. *Flores.*

*Viola (odorata) acaulis, foliis cordatis,  
stolonibus reptantibus.*

L. Sp. Pl. 1324.

Vipera.

*Coluber (Berus) scutis abdominalibus  
146, squamis caudæ 39.*

Faun. Suecic. 104.

Vitriolum album; *sive, Zinci.*

Vitriolum cæruleum; *sive, Cupri.*

Vitriolum viride; *sive, Ferri.*

E

Ulmus.



Ulmus. *Cortex interior.*

*Ulmus (campestris) foliis duplicato-  
serratis : basi inæqualibus.*

L. Sp. Pl. 327.

Urtica. *Herba.*

*Urtica (dioica) foliis oppositis corda-  
tis, racemis geminis.*

L. Sp. Pl. 1396.

Uva urfi. *Folia.*

*Arbutus (Uva urfi) caulibus procum-  
bentibus, foliis integerrimis.*

L. Sp. Pl. 566.

Zedoaria. *Radix.*

*Amomum scapo nudo, spica laxa trun-  
cata.* Berg. Mat. Med. p. 4.

Zincum.

Zincum.

Zingiber.

*Radix.*

*Amomum (Zingiber) scapo nudo, spi-*  
*ca ovata.*

L. Sp. Pl. i.

Zingiber conditum. *Radix condita.*





MEDICAMENTA

PRÆPARATA

ET

COMPOSITA.

E 3





M E D I C A M E N T A  
P R Æ P A R A T A E T  
C O M P O S I T A.

S I M P L I C I U M Q U O R U N -  
D A M M E D I C A M E N T O -  
R U M P R Æ P A R A T I O N E S.

A L U M E N U S T U M.

A L U M E N in vase fictili vel ferreo  
liquefcats igne, donec ebullire de-  
finat.

A N T I M O N I U M P R Æ P A R A T U M.

A N T I M O N I U M, in mortario ferreo  
in pulverem tritum et super por-

E 4                      phyriten



## 72 PRÆPARATIONES

phyriten cum pauxilla aqua lævigatum, inde vasi amplo : Tum affunde aquam, quam, vase sæpius agitato, polline onustam elutria. Quiescente aqua, subsidet pulvis subtilis, exsiccandus.

PULVIS crassus quem aqua sustinere nequit iterum lævigetur, et eodem tractetur modo.

### CALAMINARIS LAPIS PRÆPARATUS.

CALAMINARIS lapis ab iis qui orichalcum conficiunt calcinatus, præparatur ut antimonium.

CRETA

SIMPLICIORES: 73

CRETA PRÆPARATA.

CRETA trita, et aqua sæpius abluta, donec hanc nullo aut sapore aut colore inficiat, præparatur ut antimonium.

FERRI LIMATURA PURIFICATA.

IMPOSITO limaturæ cribro admoveatur magnes, ut trans cribrum limatura sursum attrahatur.

FERRI RUBIGO, vulgo FERRI LIMATURA PRÆPARATA.

FERRI limatura purificata sæpius aqua humectetur ut fatiscat in rubiginem, quæ in pollen teratur.

FERRI



## 74 PRÆPARATIONES

### FERRI SQUAMÆ PURIFICATÆ.

FERRI squamæ ad fabrorum incudes reperiundæ magnete admoto purificantur. Magnes enim squamas tenuiores, puriores, tantum attrahit, relictis crassioribus minus puris.

### HERBARUM ET FLORUM EXSICCATIO.

HERBÆ et flores hypocausti vel foci communis calore leni exsiccantur, ea quantitate tantum qua id quam citissime fiat. Sic enim eorum vires optime servantur, cujus indicium est color natus quam perfectissime servatus.

CICUTÆ

## SIMPLICIORES. 75

CICUTÆ vero folia, et alia, materie subtili volatili referta, post exsiccationem illico conterantur, et in vasa vitrea bene obturanda reponantur.

### MILLEPEDÆ PRÆPARATÆ

MILLEPEDÆ panno cannabino rariori inclusæ suspendantur in vase clauso super spiritum vinosum calefactum, ut a vapore necatæ friabiles reddantur.

### OCULI CANCRORUM dicti PRÆPARATI.

PRÆPARANTUR ut antimonium.

PUL.



## 76 PRÆPARATIONES

### PULPARUM EXTRACTIO.

FRUCTUS qui pulpam præbere possunt, si immaturi sint, vel maturi et ficci, coque cum pauxilla aqua, ut mollescant; deinde pulpam per cribrum setaceum exprime; postea in vase fictili coque lento igne, crebro agitans, ne aduratur, donec mellis spissitudinem habeat.

ITEM casia fistularis pulpa ex si-liqua contusa excoquenda est, deinde aquam evaporando ad idoneam spissitudinem reducenda.

FRUCTUUM maturorum et recentium pulpæ per cribrum exprimantur, nulla coctione præmissa.

SCILLÆ

## SCILLÆ EXSICCATIO.

SCILLAM, ablato externo cortice, transverſim in taleolas tenues ſeca, et leni calore exſicca. Recte exſiccataꝝ indicium eſt, quod friabilis reddita amaritiem et acrimoniam retinet.

## SPONGIÆ USTIO.

SPONGIAM in fruſtula parva concifa, et ab adhærentibus terreis bene liberatam, in vaſe fictili clauſo, igni imposito, crebro ſimul agitans, donec nigreſcat, et friabilis fiat; deinde in mortario vitreo vel marmoreo in pulverem redige.

TESTÆ



## 78 PRÆPARATIONES, &c.

### TESTÆ OSTREORUM PRÆ- PARATÆ.

TESTÆ ostreorum cavæ, planis  
rejectis, a fordibus adhærentibus  
bene purgatæ, præparantur ut an-  
timonium.

### TUTIA PRÆPARATA.

PRÆPARATUR ut antimonium.

CON-

## C O N S E R V Æ.

## C O N S E R V Æ.

MENTHÆ fativæ foliorum recentium.

ROSARUM rubrarum nondum explicitarum.

AURANTIORUM Hispalensium corticis exterioris recentis radula abrazi.

SINGULA, in pulpam contusa, sacchari purissimi triti pondere triplo inter contundendum paulatim addito, bene misceantur.

C O N.



80 CONSERVÆ.

CONSERVA PRUNORUM SIL-  
VESTRIUM.

PRUNA in aquam immissa super ignem mollito, cura adhibita ne rumpantur; dein exemptis ex aqua prunis pulpam exprime, et triplo pondere sacchari purissimi triti misce.

SUCCI.

## S U C C I.

## SUCCI AD SCORBUTICOS.

R. Succi cochleariæ,  
nasturtii aquatici,  
ex herbis recens carptis ex-  
pressi,  
aurantiorum Hispalensium,  
singulorum libras duas,  
Aquæ nucis moschatae spirituosæ  
selibram.

MISCE, et sepone donec fæces sub-  
federint, dein effunde.

F

SUCCI



## SUCCI SPISSATI, vulgo EXTRACTA.

## SUCCUS SPISSATUS ACONITI.

ACONITI folia recentia contundantur, et sacco cannabino inclusa prælo comprimantur valide, ut succum præbeant; qui in vasis patulis aquæ ferventis vapore calefactis illico exhaletur ad mellis craffioris spissitudinem, circa finem assidua agitatione evitato empyreumate.

POSTQUAM refrixerit, reponatur in vasis fictilibus vitreatis, et spiritu vini rectificato madefactis.

EODEM

EODEM modo parantur

## S U C C I S P I S S A T I

BELLADONNÆ.

HYOSCYAMI.

## S U C C U S S P I S S A T U S C I C U T Æ.

CICUTÆ florecentis foliorum et caulium succo, ut aconiti expresso, et ad mellis liquidioris spissitudinem exhalato; jamque refrigerato, adde foliorum cicutæ exsiccatum, et in pulverem tritorum, quantum satis sit, ut fiat massa pilulis formandis idonea. Curandum autem ut exhalatio eo procedat, ut pulveris tantum admisceri possit, quantum quintam circiter totius massæ partem efficiat.



SUCCUS SPISSATUS BACCARUM  
SAMBUCI, vulgo ROB SAMBUCI.

R. Succi baccarum sambuci matura-  
rum libras quinque,  
Sacchari purissimi libram unam.

DECOQUE leni igne ad mellis cras-  
sioris spissitudinem.

OLEA

**OLEA EXPRESSA.****OLEUM AMYGDALARUM.**

R. Amygdalarum recentium quantum velis.

IN mortario lapideo contusas faculo cannabino include, et oleum torculari exprime, sine calore.

F 3

EMUL-



## E M U L S I O N E S.

## EMULSIO COMMUNIS.

R. Amygdalarum dulcium unciam  
unam,

amararum drach-  
mam unam,

Aquæ libras duas cum semisse.

DECORTICATAS amygdalas in  
mortario lapideo contunde, aquam  
simul paulatim affundens; dein cola.

## EMULSIO ARABICA.

FIT eodem modo, additis inter  
amygdalas contundendas

Mucilaginis gummi Arabici un-  
ciis duabus.

IN-

## I N F U S A.

## INFUSUM AMARUM.

R. Radicis gentianæ semunciam,  
Corticis aurantiorum Hispalen-  
sium siccati drachmam unam,  
Seminum coriandri semidrach-  
mam,  
Spiritus vinosi tenuioris uncias  
quatuor,  
Aquæ libram unam.

AFFUNDE primum spiritum, et  
post tres horas aquam; tum macera  
sine calore per noctem, et cola.



## INFUSUM RHEI.

R. Rhei femunciam,

Aquæ bullientis uncias octo,

Aquæ cinnamomi spirituosæ un-  
ciam unam.

MACERA rheum cum aqua bul-  
liente in vase clauso per noctem;  
dein, addita aqua cinnamomi, cola.

INFUSUM, vulgo TINCTURA RO-  
SARUM.

R. Rosarum rubrarum ficcatarum  
unciam unam,

Aquæ bullientis libras quinque,

Acidi vitriolici drachmam unam,

Sacchari albi uncias duas.

MACERA

MACERA roſas cum aqua bulli-  
ente in vaſe fictili, non vitreato, ho-  
ras quatuor; dein, affuſo acido, li-  
quorem cola, et adjice ſaccharum.

INFUSUM TAMARINDORUM  
CUM SENNA.

R. Tamarindorum drachmas ſex,  
Cryſtallorum tartari,  
Foliorum ſennæ, utriuſque drach-  
mam unam,  
Seminum coriandri ſemidrach-  
mam,  
Sacchari rubri ſemunciam,  
Aquæ bullientis uncias octo.

IN vaſe fictili, quod plumbo non  
ſit vitreatum, clauſo macera, ſub-  
inde



inde agitans, et post horas quatuor  
cola.

FIT quoque cum fenna duplice,  
triplice, &c.

POTIO CRETACEA.

R. Cretæ præparatæ unciam unam,  
Sacchari purissimi semunciam,  
Mucilaginis gummi Arabici un-  
cias duas.

TERE simul, et dein sensim adde  
Aquæ libras duas cum semisse,  
Aquæ cinnamomi spirituosæ un-  
cias duas.

MISCE.

M U.

MUCILAGO GUMMI ARABICI.

R. Gummi Arabici in pulverem triti  
et aquæ ferventis pondera pa-  
ria.

DIGERE, subinde agitans, donec  
solvatur gummi, tum per linteum ex-  
prime.

MUCILAGO GUMMI TRAGA-  
CANTHÆ.

R. Gummi tragacanthæ triti unciam  
unam,  
Aquæ ferventis uncias octo.

MACERA horas viginti quatuor,  
dein misce, diligenter terens ut solva-  
tur gummi, et per linteum exprime.

AQUA



## AQUA CALCIS.

R. Calcis vivæ recentis libram dimidiam,

Vasi figulino immitte, et insperge aquæ uncias quatuor, clauso vase dum calx incalescit et in pulverem dilabitur; dein affunde aquæ libras duodecim, et agitatione calcem cum aqua permisce. Postquam subsederit calx; iteretur agitatio; idque fiat decies circiter, occluso semper vase, ut liberior aëris accessus arceatur. Tandem coletur aqua per chartam in infundibulo aperto positam, et lagenis probe obturatis servetur.

D E.

## D E C O C T A.

## DECOCTUM ALTHÆÆ.

R. Radicis althææ ficcatae uncias  
quatuor,  
Passularum majorum, demptis a-  
cinis, uncias duas,  
Aquæ libras septem.

DECOQUE ad libras quinque; li-  
quorem colatum sepone donec fæces  
subsederint, et effunde.

## DECOCTUM COMMUNE.

R. Florum chamæmeli unciam u-  
nam,

Seminum



Seminum carvi semunciam,  
Aquæ libras quinque.

CoQUE quartam horæ partem, et  
cola.

### DECOCTUM HORDEI.

R. Hordei (lingua vernacula *Pearl-*  
*barley* dicti) uncias duas,  
Aquæ libras quinque.

PRIMUM farina hordeo adhærens  
aqua frigida abluatur; tum horde-  
um cum aquæ libra circiter dimidia  
aliquantulum coquatur, ut materia  
colorans extrahatur; qua abjecta,  
hordeum ita purificatum, quinque  
aquæ bullientis libris addatur; dein  
hæc

hæc ad dimidiam coquatur, et co-  
letur.

DECOCTUM LIGNORUM.

R. Scobis ligni guajaci uncias tres,  
Passularum majorum uncias duas,  
Radicis sassafras,  
glycyrrhizæ, singularum  
unciam unam,  
Aquæ libras decem.

DECOQUE aquam cum guajaco et  
passulis, leni igne, ad libras quin-  
que, sub finem adjiciens sassafras et  
glycyrrhizam; dein cola sine expref-  
sione.

DE-



## DECOCTUM SENEKÆ.

R. Radicis fenekæ unciam unam,  
Aquæ libras duas.

DECOQUE ad uncias sexdecim, et  
cola.

VINA.

## V I N A.

VINUM ALOETICUM, vulgo  
TINCTURA SACRA.

R. Aloes Socotorinæ unciam unam,  
 Seminum Cardamomi minoris,  
 Zingiberis, utriusque drachmam  
 unam,  
 Vini albi Hispani libras duas.

DIGERE dies septem, subinde a-  
 gitans, et cola.

## VINUM AMARUM.

R. Radicis gentianæ semunciam,  
 Corticis Peruviani unciam unam,  
 G Corticis



Corticis aurantiorum Hispalen-  
fium ficcati drachmas duas,  
Canellæ albæ drachmam unam,  
Spiritus vinosi tenuioris uncias  
quatuor,  
Vini albi Hispani libras duas cum  
semisse.

AFFUNDE primum spiritum vi-  
nosum, et, post horas viginti qua-  
tuor, adde vinum; tum macera per  
dies tres, et cola.

Hoc vinum vicem supplet TINC-  
TURÆ AD STOMACHICOS.

VINUM

## VINUM ANTIMONIALE.

R. Vitri antimonii in pulverem tenuissimum triti unciam unam,  
Vini albi Hispani uncias quindecim.

MACERA, subinde agitans, dies tres, dein per chartam cola.

## VINUM E TARTARO ANTIMONIALI.

R. Tartari antimonialis, five emetici,  
grana viginti quatuor, et solve  
in vini albi Hispani libra una.



VINUM, vulgo TINCTURA IPE-  
CACUANHÆ.

R. Radicis ipecacuanhæ unciam u-  
nam,  
Vini albi Hispani uncias quindecim.

MACERA triduum, et per char-  
tām cola.

VINUM MILLEPEDATUM.

R. Millepedarum vivarum unciam  
unam,  
Vini Rhenani uncias octo.

MILLEPEDIS paululum contufis  
affunde vinum, dein macera horas  
duodecim,

duodecim, et per linteum exprimens  
cola.

## VINUM RHEI.

R. Rhei uncias duas,

Canellæ albæ drachmam unam,

Spiritus vinofi tenuioris uncias  
duas,

Vini albi Hispani uncias quindecim.

MACERA dies septem, et cola.



## A C E T A.

## ACETUM SCILLITICUM.

R. Radicis scillæ ficcatae uncias duas,  
Aceti destillati libras duas cum se-  
misse,  
Spiritus vini rectificati uncias  
tres.

MACERA scillam cum aceto dies  
octo, dein exprime acetum, cui adde  
spiritum, et, cum fæces subsederint,  
liquorem effunde.

TINC-

## T I N C T U R Æ.

## TINCTURA ABSINTHII.

R. Summitatum absinthii floridarum  
rite ficcatarum uncias quatuor,  
Spiritus vinosi rectificati libras  
duas.

MACERA biduum; dein spiritum  
exprime, et affunde denuo  
Absinthii unciis duabus.

MACERA rursus dies quatuor, tum  
per linteum tincturam exprime, et  
postea per chartam cola.



TINCTURA AMARA, five ELIXIR  
STOMACHICUM.

R. Radicis gentianæ uncias duas,  
Corticis aurantiorum Hispalen-  
fium ficcati unciam unam,  
Canellæ albæ semunciam,  
Cochinillæ semidrachmam,  
Spiritus vinosi tenuioris libras  
duas cum semisse.

MACERA dies quatuor, et per  
chartam cola.

## TINCTURA AROMATICA.

R. Cinnamomi drachmas sex,  
Seminum cardamomi minoris un-  
ciam unam,

Radicis

Radiciſ angelicæ fativæ drachmas  
tres,

Piperis longi drachmas duas,  
Spiritus vinoſi tenuioris libras  
duas cum ſemiſſe.

MACERA dies ſeptem, et per char-  
tam cola.

TINCTURA CANTHARIDUM.

R. Cantharidum drachmam unam,  
Spiritus vinoſi tenuioris libram  
unam.

DIGERE dies quatuor, et per  
chartam cola.

TINC.



TINCTURA CARDAMOMI.

R. Seminum Cardamomi minoris  
    uncias sex,  
Spiritus vinosi tenuioris libras  
    duas cum femisse.

MACERA dies octo, et per char-  
tam cola.

TINCTURA CASTOREI.

R. Castorei Ruffici fescunciam,  
Spiritus vinosi rectificati libram  
    unam.

DIGERE dies sex, et cola.

TINC.

TINCTURA CASTOREI COMPOSITA.

R. Castorei Ruffici unciam unam,  
Asæ foetidæ semunciam,  
Spiritus salis ammoniaci vinosi libram unam.

MACERA dies sex in phiala clausa,  
et cola.

TINCTURA CINNAMOMI.

R. Cinnamomi uncias tres,  
Spiritus vinosi tenuioris libras  
duas cum semisse.

MACERA dies octo, et cola.

TINC-



## TINCTURA CORTICIS PERUVIANI.

R. Corticis Peruviani uncias quatuor,

Spiritus vinosi tenuioris libras duas cum semisse.

DIGERE dies decem, et cola.

## TINCTURA CROCI.

R. Croci Anglici unciam unam,

Spiritus vinosi tenuioris uncias quīndecim.

DIGERE dies quinque, et per chartam cola.

TINC.

TINCTURA FOETIDA.

R. Afæ foetidæ uncias duas,  
Spiritus falis ammoniaci vinosi  
libram unam.

MACERA dies sex in phiala clau-  
sa, et cola.

TINCTURA FULIGINIS.

R. Fuliginis ligni splendentis unciam  
unam,  
Afæ foetidæ semunciam,  
Spiritus vinosi rectificati,  
Spiritus vinosi tenuioris, utriusque  
semilibram.

DIGERE dies sex, et cola.

ELI.



## ELIXIR GUAJACINUM.

R. Gummi guajaci libram unam,  
Balsami Peruviani drachmas tres,  
Spiritus vinosi rectificati libras  
duas cum semisse.

DIGERE dies decem, et cola.

## ELIXIR GUAJACINUM VOLATILE.

R. Gummi guajaci uncias quatuor,  
Balsami Peruviani drachmas duas,  
Olei stillatitii sassafras semidrach-  
mam,  
Spiritus falis ammoniaci \_vinosi  
sesquilibram.

MACERA dies sex in phiala clausa,  
et cola.

TINC.

TINCTURÆ. III

TINCTURA MELAMPODII, five  
HELLEBORI NIGRI.

R. Radicis melampodii uncias qua-  
tuor,

Cochinillæ femidrachmam,

Spiritus vinosi tenuioris libras  
duas cum femisse.

DIGERE dies octo, et per chartam  
cola.

TINCTURA JALAPPÆ.

R. Radicis jalappæ uncias tres,

Spiritus vinosi tenuioris uncias  
quindecim.

DIGERE dies octo, et cola.

TINC-



## TINCTURA JAPONICA.

R. Terræ Japonicæ uncias tres,  
Cinnamomi uncias duas,  
Spiritus vinosi tenuioris libras  
duas cum semisse.

DIGERE dies octo, et cola.

## TINCTURA E KINO.

R. Gummi kino uncias duas,  
Spiritus vinosi tenuioris fefquili-  
bram.

DIGERE dies octo, et cola.

TINC.

TINCTURA MARTIS.

R. Squamarum ferri purificatarum et  
in pulverem tritarum uncias  
tres,

Acidi muriatici quantum sufficiat  
ad solvendum pulverem.

DIGERE leni calore, et, soluto  
pulvere, adde

Spiritus vinosi rectificati quantum  
sufficiat, ut sint totius liquoris  
libræ duæ cum semisse.

TINCTURA MOSCHI.

R. Moschi drachmas duas,

Spiritus vinosi rectificati libram  
unam.

H

DI-



DIGERE dies decem, et cola.

TINCTURA MYRRHÆ.

R. Myrrhæ uncias tres,  
Spiritus vinosi rectificati libras  
duas cum semisse.

DIGERE dies decem, et cola.

ELIXIR PAREGORICUM.

R. Florum Benzoini,  
Croci Anglici, singulorum drach-  
mas tres,  
Opii drachmas duas,  
Olei stillatitii anisi semidrachmam,  
Spiritus falis ammoniaci vinosi  
uncias sexdecim.

DI-

DIGERE quatuor dies in phiala clausa, et cola.

ELIXIR ALOES, vulgo PROPRIETATIS.

R. Myrrhæ tritæ uncias duas,  
Spiritus vinosi rectificati,  
Spiritus vinosi tenuioris, singulorum libram unam.

DIGERE per dies quatuor, dein adde

Aloes Socotorinæ tritæ fescunciam,  
Crocī Anglici unciam unam.

DIGERE rursus per biduum, et elixir defæcatum effunde.



ELIXIR ALOES, five PROPRIETATIS VITRIOLICUM.

R. Myrrhæ,

Aloes Socotorinæ, utriusque fescunciam,

Croci Anglici unciam unam,

Spiritus vitrioli dulcis libram unam.

DIGERE myrrham cum spiritu dies quatuor in phiala clausa, dein adde crocum et aloen.

DIGERE rursus dies quatuor, et cum fæces subsederint effunde elixir.

TINC.

TINCTURA RHEI.

R. Rhei uncias tres,  
Seminum cardamomi minoris fe-  
munciam,  
Spiritus vinosi tenuioris libras  
duas cum semisse.

DIGERE dies septem, et cola.

TINCTURA RHEI DULCIS.

FIT si TINCTURÆ RHEI colatæ ad-  
dantur  
Sacchari cryſtallini unciaë quatuor.



## TINCTURA RHEI AMARA.

R. Rhei uncias duas,  
Gentianæ semunciam,  
Serpentariæ Virginianæ drach-  
mam unam,  
Spiritus vinosi tenuioris libras  
duas cum semisse.

DIGERE dies septem, et cola.

ELIXIR EX ALOE ET RHEO, vulgo  
SACRUM.

R. Rhei drachmas decem,  
Aloes Socotorinæ drachmas sex,  
Seminum cardamomi minoris se-  
munciam,  
Spiritus

Spiritus vinosi tenuioris libras  
duas cum semisse.

DIGERE dies septem, et cola.

TINCTURA SATURNINA, vulgo AN-  
TIPHTHISICA.

R. Sacchari Saturni fescunciam,  
Vitrioli Martis unciam unam,  
Spiritus vinosi rectificati libram  
unam.

EXTRAHATUR tinctura sine ca-  
lore.



TINCTURA SENNÆ COMPOSITA,  
vulgo ELIXIR SALUTIS.

R. Foliorum fennæ uncias duas,  
Radicis jalappæ unciam unam,  
Seminum coriandri femunciam,  
Spiritus vinofi tenuioris libras  
tres cum femiffe.

DIGERE dies septem, et tincturæ  
colatæ adde sacchari cryftallini un-  
cias quatuor.

TINCTURA SERPENTARIÆ.

R. Radicis serpentariæ Virginianæ  
uncias duas,  
Cochinillæ drachmam unam,  
Spiritus

Spiritus vinosi tenuioris libras  
duas cum semisse.

DIGERE dies quatuor, et cola.

TINCTURA THEBAICA, vulgo LAU-  
DANUM LIQUIDUM.

R. Opii uncias duas,  
Aquæ cinnamomi spirituosæ li-  
bram unam cum semisse.

DIGERE dies quatuor, et per  
chartam cola.

TINCTURA TOLUTANA.

R. Balsami Tolutani fescunciam,  
Spiritus



Spiritus vinosi rectificati libram  
unam.

DIGERE donec solvatur balsa-  
mum, et cola.

TINCTURA VALERIANÆ VOLATI-  
LIS.

R. Radicis valerianæ silvestris uncias  
duas,

Spiritus falis ammoniaci vinosi li-  
bram unam.

MACERA sex dies in phiala clausa,  
et cola.

TINC.

## TINCTURA VERATRI, five HELLEBORI ALBI.

R. Radicis veratri uncias octo,  
Spiritus vinosi tenuioris libras  
duas cum semisse.

DIGERE dies decem, et per chartam cola.

## ELIXIR VITRIOLI ACIDUM.

R. Spiritus vinosi rectificati libras  
duas,

INSTILLA paulatim  
Acidi vitriolici uncias sex.

MISTURAM digere, calore lenissimo,



mo, in vase clauso triduum, dein adde

Cinnamomi fescunciam,  
Zingiberis unciam unam.

DIGERE rursus in vase clauso sex dies, dein per chartam infundibulo vitreo impositam cola.

#### ELIXIR VITRIOLI DULCE.

FIT ex iisdem aromatis et eodem modo quo TINCTURA AROMATICA, nisi quod loco spiritus vinosi adhibetur spiritus vitrioli dulcis.

SPI.

SPIRITUS VINOSUS CAMPHORATUS.

R. Camphoræ unciam unam,  
Spiritus vini rectificati libram  
unam.

Misce ut solvatur camphora.

FIT quoque cum camphora duplici, triplici, &c.

LINIMENTUM ANODYNUM, vulgo  
BALSAMUM ANODYNUM.

R. Opii unciam unam,  
Saponis albi Hispani uncias quatuor,  
Camphoræ uncias duas,

Olei



Olei stillatitii rorismarini semunciam,

Spiritus vinosi rectificati libras duas.

DIGERE opium et saponem in spiritu triduum; dein liquori colato adjice camphoram et oleum, diligenter agitans.

LINIMENTUM SAPONACEUM, vulgo  
BALSAMUM SAPONACEUM.

OMISSE solum opio, fit ex iisdem medicamentis et eodem modo quo  
BALSAMUM ANODYNUM.

BAL.

BALSAMUM, five ELIXIR TRAUMAT-  
TICUM.

R. Benzoini uncias tres,  
Balsami Peruviani uncias duas,  
Aloes hepaticæ semunciam,  
Spiritus vinosi rectificati libras  
duas.

DIGERE dies decem, et cola.

EX-



## E X T R A C T A.

## EXTRACTUM GENTIANÆ.

R. Radicis gentianæ quantum velis.

CONCISÆ et contusæ affunde aquæ quadruplum. Decoque ad medias, et valide exprimens cola. Decoctum illico vaporet, in vasis aquæ ferventis vapore calefactis, ad mellis crassioris spissitudinem.

In hoc et in omni extracto parando, circa finem assidua agitatione opus est, ut evitetur empyreuma, et ut sit extractum uniforme et sine grumis.

EODEM

EODEM modo parantur

EXTRACTA

RADICUM MELAMPODII, five HEL-  
LEBORI NIGRI.

FOLIORUM PULSATILLÆ NIGRI-  
CANTIS.

RUTÆ.

CAPITUM PAPAVERIS ALBI.

SEMINUM CICUTÆ vix dum matu-  
rorum.

EXTRACTUM JALAPPÆ.

R. Radicis jalappæ libram unam,  
Spiritus vinosi rectificati libras  
quatuor.

I.

Di-



DIGERE per dies quatuor, et effunde tincturam. Magma residuum coque ex aquæ libris decem ad libras duas; decoctum dein cola, et vapora ad mellis liquidioris spissitudinem. Spiritum e tinctura, destillatione, abstrahere donec similiter spissescat. Tum liquores sic inspissatos permisce, et, assidue agitans, vapora ad idoneam crassitudinem.

EXTRACTUM CORTICIS PERUVIANI, et  
EXTRACTUM LIGNI CAMPECHENSIS.

PARANTUR eodem modo quo EXTRACTUM JALAPPÆ.

AQUÆ

AQUÆ STILLATITIÆ  
SIMPLICES.

AQUA DÉSTILLATA.

AQUA fontana vel putealis destilletur vasis mundissimis, donec ejus duo circiter trientes stillaverint.

AQUA SEMINUM ANETHI  
SIMPLEX.

R. Seminum anethi libram unam.

AFFUNDATUR aquæ tantum ut cum destillatione elicita fuerint libræ decem, supersit quantum sufficiat ad evitandum empyreuma. Post

I 2      macerationem



132 AQUÆ STILLATITIÆ.

macerationem debitam destillentur  
libræ decem.

EODEM modo parantur aquæ stillatitiæ simplices libræ decem ex

CINNAMOMI libra una,

CASSIÆ LIGNEÆ sesquilibra,

FOLIORUM MENTHÆ PIPERITIDIS libris tribus,

FOLIORUM MENTHÆ SATIVÆ libris tribus,

PULEGII libris tribus,

PIPERIS JAMAICENSIS selibra,

ROSARUM pallidarum recentium libris sex,

CORTICIS malorum limoniorum recentium libris duabus,

CORTICIS aurantiorum Hispalensium recentium libris duabus.

AQUÆ

# AQUÆ STILLATITIÆ SPIRITUOSÆ.

## AQUA CARVI SPIRITUOSA.

R. Seminum carvi felibram;  
Spiritus vinosi tenuioris libras novem.

MACERA biduum in vase clauso;  
dein affundatur aquæ quantum sufficiat ad evitandum empyreuma, et destillatione eliciantur libræ novem.

EODEM modo parantur aquæ stillatitiæ spirituosæ libræ novem ex  
CINNAMOMI libra una,  
FOLIORUM MENTHÆ PIPERITIDIS sesquilibra,

I 3

NUCIS



134    AQUÆ STILLATITIÆ.

NUCIS MOSCHATÆ bene contri-  
tæ unciis duabus,  
PIPERIS JAMAICENSIS felibra,

AQUA JUNIPERI COMPOSITA.

R. Baccarum juniperi bene contusa-  
rum libram unam,  
Seminum carvi,  
                    fœniculi dulcis, utrius-  
que fescunciam,  
Spiritus vinosi tenuioris libras no-  
vem.

MACERA biduum; et addita a-  
qua quanta sufficiat ad evitandum  
empyreuma, destillatione eliciantur  
libræ novem,

SPI-

## SPIRITUS STILLATITII.

## SPIRITUS LAVENDULÆ SIMPLEX.

R. Spicarum florentium lavendulæ  
recentium libras duas,  
Spiritus vinosi rectificati libras  
octo.

PER destillationem calore aquæ  
bullientis eliciantur libræ septem.

## SPIRITUS RORISMARINI.

R. Summitatum florentium rorisma-  
rini recentium libras duas,  
Spiritus vinosi rectificati libras  
octo.



136 SPIRITUS STILLATITII.

PER destillationem calore aquæ  
bullientis eliciantur libræ septem.

SPIRITUS LAVENDULÆ COMPO-  
SITUS.

R. Spiritus lavendulæ simplicis li-  
bras tres,  
rorismarini libram u-  
nam,  
Cinnamomi unciam unam,  
Caryophyllorum aromaticorum  
drachmas duas,  
Nucis moschatæ semunciam,  
Santali rubri drachmas tres.

MACERA dies septem, et cola.

OLEA

## OLEA STILLATITIA.

## OLEA ESSENTIALIA,

Herbæ MENTHÆ SATIVÆ,  
 MENTHÆ PIPERITIDIS,  
 SABINÆ,

Summitatum RORISMARINI,  
 Spicarum florentium LAVEN-  
 DULÆ,

Seminum ANISI,  
 Baccarum JUNIPERI,  
 Radicis SASSAFRAS,

PIPERIS JAMAICENSIS,  
 eodem fere modo parantur ac aquæ  
 stillatitiæ simplices, nisi quod hic a-  
 qua parcius adjicienda est. Semina  
 et lignosa prius contundenda aut ra-  
 denda



denda sunt. Oleum cum aqua elicitur, et, prout levius aut gravius fuerit, ejus superficiei innatat aut fundum petit, postea separandum.

Porro, notandum est de aquis et oleis hisce stillatitiis parandis, quod multa hic adeo varia contingere necesse est, pro rerum bonitate, compage, anni tempestate, et similibus, ut norma certa et generalis, quæ unicuique exemplo strictius conveniat, vix possit præscribi; quoçirca methodum tantum generalem innuimus, plurima opificis judicio varianda relinquentes.

OLEUM

## OLEUM E CORNUBUS RECTIFICATUM, five OLEUM ANIMALE.

R. Olei empyreumatici e cornubus animalium destillati recentis,  
q. v.

DESTILLET ex matraccio, capitello instructo, igne leni, quamdiu prodit oleum tenue coloris expers, quod ope aquæ a sale et spiritu alcalino purgetur. Ut limpidum et sincerum restet hoc oleum, in phialis parvis omnino repletis et inversis fervari debet, cuique vasculo prius instillatis aliquot aquæ guttis, ut, inverso vasculo, hæc inter oleum et vasis obturaculum interjaceat.

OLEUM



140 OLEA STILLATITIA.

OLEUM et SAL SUCCINI.

R. Succini in pulverem triti,  
Arenæ puræ, partes æquales.

COMMIXTA immitte retortæ vitreæ cujus dimidium impleant. Adaptato excipulo amplo, destilla ex arena, igne gradatim aucto. Primo liquor aquosus cum paululo olei flavi, dein oleum flavum cum sale, postea oleum subrubrum et nigrum extillabit. Liquor ex excipulo effundatur, et oleum ab aqua separetur. Sal a retortæ collo et excipuli lateribus collectus, inter plicas chartæ emporeticæ comprimatur, ut ab oleo adhærente liberetur; dein solutione  
in

OLEA STILLATITIA. 141

in aqua calida et crySTALLIZATIONE fiat purus.

OLEUM SUCCINI RECTIFICATUM.

OLEUM e retorta vitrea, aquæ sextuplo addito, destillet, donec aquæ duo trientes in excipulum transferint. Dein oleum rectificatum ab aqua separetur, et in vasis bene obturatis servetur.

OLE-



## O L E O S A.

## OLEUM CAMPHORATUM.

R. Olei olivarum recentis uncias  
duas,  
Camphoræ semunciam.

MISCE ut solvatur camphora.

## BALSAMUM SULPHURIS CRASSUM.

R. Olei olivarum uncias octo,  
Florum sulphuris unciam unam.

COQUE leni igne, in vase amplo  
ferreo, assidue agitans, ut coeant in  
balsamum.

SALES

## SALES et SALINA.

## ACETUM. DESTILLATUM.

IN vasis vitreis, leni igne, destil-  
lentur aceti libræ octo. Libræ duæ  
primum prodeuntes, utpote nimis a-  
quosæ, rejiciendæ sunt; quæ sequun-  
tur libræ quatuor erunt acetum de-  
stillatum. Reliquum fundit acidum  
fortius, sed igne nimis exustum.

ACIDUM MURIATICUM, vulgo SPI-  
RITUS SALIS MARINI.

R. Salis marini libras duas,  
Acidi vitriolici,  
Aquæ utriusque libram unam.

SAL



SAL primum ollæ imponatur, et rubescat ab igne, ut sordes oleosæ urantur; tum retortæ immittatur. Dein acidum cum aqua permisce, et misturam postquam refrixerit sali affunde. Tandem destilla ex arena, igni mediocri, quamdiu prodit acidum.

ACIDUM NITROSUM, vulgo SPIRITUS NITRI GLAUBERI.

R. Nitri purissimi contusi libras duas,  
Acidi vitriolici libram unam.

NITRO retortæ vitreæ indito affunde acidum, dein destilla ex arena, igne sensim aucto, donec olla ferrea obscure rubeat.

ACI-

ACIDUM NITROSUM TENUE.

R. Acidi nitrosi,  
Aquæ, pondera paria.

MISCE, a vaporibus noxiis cavens.

ACIDUM NITRI VINOSUM, vulgo  
SPIRITUS NITRI DULCIS.

R. Spiritus vini rectificati libras  
tres,  
Acidi nitrosi libram unam.

INFUNDE spiritum phialæ amplæ,  
in vase aqua frigida pleno positæ,  
et paulatim adde, assidue agitans,  
acidum. Obturetur levius phiala,

K

et



et in loco frigidiusculo reponatur  
dies septem ; dein destilletur liquor  
calore aquæ ferventis, in excipulum  
aqua vel nive refrigeratum, quam-  
diu prodibit spiritus.

ACIDUM VITRIOLICUM TENUE, vul-  
go SPIRITUS VITRIOLI TENUIS.

R. Acidi vitriolici partem unam,  
Aquæ partes septem.

MISCE.

LIQUOR ÆTHEREUS VITRIOLICUS.

R. Spiritus vinosi rectificati,  
Acidi vitriolici, utriusque uncias  
triginta duas.

INFUNDE

INFUNDE spiritum retortæ vitreæ, calori subitaneo ferendo aptæ, et affunde uno rivo acidum. Misce paulatim, mediocriter et crebro agitans; protinus dein destilla ex arena, prius ad hoc opus calefacta, in excipulum aqua vel nive refrigeratum. Ignis autem ita regatur, ut quamprimum ebulliat liquor, et ebullire pergat, donec destillaverint uncia sexdecim; tum retorta ex arena sublevetur.

LIQUORI destillato adde caustici communis acerrimi drachmas duas; dein destilla iterum ex retorta præalta, igne lenissimo, in excipulum refrigeratum, donec destillaverint uncia decem.

ACIDO in retorta post primam de-

K 2 stillationem



stillationem residuo si affundantur spiritus vini rectificati unciae sexdecim et iteretur destillatio, denuo prodibit liquor Æthereus. Hocque sæpius fieri potest.

ACIDUM VITRIOLICUM VINOSUM,  
vulgo SPIRITUS VITRIOLI DULCIS.

R. Liquoris ætherei vitriolici partem  
unam.

Spiritus vinosi rectificati partes  
duas.

MISCE.

FLORES BENZOINI.

R. Benzoini triti quantum velis.

INDATUR

INDATUR in ollam figulinam; cui, adaptato prius oræ ejus cucullo chartaceo amplo, subjice lenem ignem ut flores sublimentur. Si oleo inquinati sint, solutione in aqua calida et crystallizatione purificentur.

ALCALI VOLATILE EX SALE AMMONIACO, vulgo SAL AMMONIACUS VOLATILIS.

R. Salis ammoniaci libram unam,  
Cretæ purissimæ ficcissimæ libras  
duas.

MISCE bene, et sublima ex retorta in excipulum refrigeratum.



## SPIRITUS SALIS AMMONIACI.

R. Salis ammoniaci,

alcalini vegetabilis fixi puri-  
ficati, utriusque uncias sexde-  
cim.

Aquæ libras duas.

SALIBUS mistis, et retortæ vitreæ  
inditis, affunde aquam; dein destil-  
la ex arena, igne sensim aucto, ad  
ficcitatem.

ALCALI VOLATILE CAUSTICUM,  
vulgo SPIRITUS SALIS AMMONI-  
ACI CUM CALCE VIVA.

R. Calcis vivæ recens combustæ li-  
bras duas,

Aquæ

Aquæ libram unam.

AQUÆ in vas ferreum vel figulinum infusæ, adjice calcem contritam; et vas operito per horas viginti quatuor, dum calx in pollen dilabatur, quod retortæ immitte. Dein affunde falis ammoniaci uncias sexdecim, quadruplo aquæ pondere dilutas. Tum, occluso retortæ ore, agitando permisce. Denique destilla igne lenissimo, adeo ut operantis manus retortæ admota calorem ejus facile perferre queat, in excipulum refrigeratum, donec destillaverint uncia viginti. In hac destillatione vasa ita conglutinanda sunt, ut vapores penetrantissimi penitus cohibeantur. Post destillationem vero recludenda,



et alcali effundendum, antequam retorta omnino refrixerit.

SPIRITUS SALIS AMMONIACI VINOSUS.

R. Calcis vivæ uncias sexdecim,  
Salis ammoniaci uncias octo,  
Spiritus vinosi rectificati uncias  
triginta duas.

CALCEM et falem ammoniacum, tenuiter contritos et permistos, inde retortæ vitreæ, dein adde spiritum, et destilla, eodem modo ac in processu præcedente, donec spiritus omnis transferit.

SPI-

SPIRITUS VOLATILIS AROMATICUS,  
vulgo SPIRITUS VOLATILIS OLEO-  
SUS, et SPIRITUS SALINUS ARO-  
MATICUS.

R. Spiritus falis ammoniaci vinosi  
uncias octo,  
Olei stillatitii rorismarini fefqui-  
drachmam,  
corticis malorum li-  
moniorum drach-  
mam unam.

Misce ut solvantur olea.

SPIRITUS VOLATILIS FOETIDUS.

R. Spiritus falis ammoniaci vinosi  
uncias octo,

Afæ



Afæ foetidæ femunciam.

DIGERE in vase clauso horas duodecim, dein destillentur calore aquæ ferventis uncia octo.

SPIRITUS MINDERERI.

R. Alkali volatilis ex sale ammoniaco triti quantum velis.

AFFUNDE aceti destillati quantum fatis sit ad alkali accurate neutrum reddendum.

SAL TARTARI.

R. Tartari quantum velis.

CHARTÆ bibulæ madefactæ involutum, vel crucibulo inditum, circumjectis prunis, in carbonem comburatur; qui dein contritus, in crucibulo aperto calcinetur, igne mediocri, cura adhibita ne lique scat, usque dum albus vel saltem cinereus fiat. Tum in aqua calida solvatur; per linteum coletur liquor, et in vase ferreo mundo exhalet, sub finem assidue agitatus cochleari ferreo, ne materia fundo vasis adhærescat. Sal albissimus restabit, qui paulo diutius super ignem relinquendus est, donec vasis fundus fere rubescat. Postremo refrigeratus in vitris bene obturatis reponatur.

SAL



## SAL ALCALINUS FIXUS VEGETABILIS PURIFICATUS.

SAL alcalinus fixus, qui Anglice *Pearl-ashes* vocatur, in crucibulo inditus, rubescat ab igne, ut sordes oleosæ, si quæ adsint, urantur; dein contritus, cum pari aquæ pondere, agitando, bene misceatur. Lixivium, postquam fæces subsederint, in ollam ferream mundissimam effunde, et decoque ad siccitatem, circa finem assidue agitans salem, ne vasi adhæreat.

SAL hicce, si rite purificatus fuerit, quamvis siccissimus, cum pari aquæ pondere contritus, in liquorem, coloris odorisque expertem, solvi potest.

SAL

SAL ALCALINUS FIXUS FOSSILIS  
PURIFICATUS.

R. Cinerum kali Hispanici, vulgo  
Soda vel Barilla, quantum vis.

CONTUNDE, tum coque ex aqua,  
donec omnis sal aqua diluatur. Hanc  
dein per chartam cola, et in vase fer-  
reo vapore, ut post refrigerationem  
concrecant crytalli.

LIXIVIUM CAUSTICUM.

R. Calcis vivæ recentis uncias octo,  
Salis alcalini fixi vegetabilis puri-  
ficati uncias sex.

INJICIATUR calx in vas ferreum  
vel



## SAL ALCALINUS FIXUS VEGETABILIS PURIFICATUS.

SAL alcalinus fixus, qui Anglice *Pearl-asbes* vocatur, in crucibulo inditus, rubescat ab igne, ut sordes oleosæ, si quæ adsint, urantur; dein contritus, cum pari aquæ pondere, agitando, bene misceatur. Lixivium, postquam fæces subsederint, in ollam ferream mundissimam effunde, et decoque ad siccitatem, circa finem assidue agitans salem, ne vasi adhæreat.

SAL hicce, si rite purificatus fuerit, quamvis siccissimus, cum pari aquæ pondere contritus, in liquorem, coloris odorisque expertem, solvi potest.

SAL

SAL ALCALINUS FIXUS FOSSILIS  
PURIFICATUS.

R. Cinerum kali Hispanici, vulgo  
Soda vel Barilla, quantum vis.

CONTUNDE, tum coque ex aqua,  
donec omnis sal aqua diluatur. Hanc  
dein per chartam cola, et in vase fer-  
reo vapore, ut post refrigerationem  
concrecant crytalli.

LIXIVIUM CAUSTICUM.

R. Calcis vivæ recentis uncias octo,  
Salis alcalini fixi vegetabilis puri-  
ficati uncias sex.

INJICIATUR calx in vas ferreum  
vel



vel figulinum cum aquæ calidæ unciis viginti octo. Ebullitione et calicis extinctione omnino peractis, protinus adde falem alcalinum; hisque bene permistis, vas operiatur dum frigescat. Frigefactam materiam agita, et effunde totam in infundibulum vitreum, cujus guttur linteolo puro obstructum sit. Infundibuli os superius operiatur dum tubus alteri vasi vitreo inferatur, ut lixivium trans linteolum in vas suppositum sensim stillet. Cum primum stillare desierit, affunde in infundibulum aquæ uncias aliquot, sed caute, ut ea materiam supernatet. Incipiet iterum stillare lixivium; ac sic iteranda est aquæ affusio, donec stillaverint libræ tres, quod bi-

dui

dui vel tridui spatium fiet; dein lixivii partes superiores cum inferioribus agitans, misce, et in vase bene obturato serva.

LIXIVIUM rite paratum, coloris et odoris expers erit; nec cum acidis effervescentiam ullam nisi forsitan levissimam excitabit. Color et odor salem non satis calcinatum, effervescentia calcem non fuisse bonam, indicant.

#### CAUSTICUM COMMUNE ACERRIMUM.

R. Lixivii caustici quantum velis.

IN vase ferreo mundissimo vaporet super ignem lenem, donec ebullitione



litione finita, materies salina tranquille fluat, instar olei, quod fit antequam vas igne rubescat. Ita liquefactum effundatur causticum super laminam ferream nitidam: in massulas secetur antequam dure scat, et illico in phialam bene obturandam reponatur.

#### CAUSTICUM COMMUNE MITIUS.

R. Lixivii caustici quantum velis.

VAPORET in vase ferreo ad tertiam partem, dein admisceatur calcis vivæ recens extinctæ quantum sufficiat ad pultis solidioris crassitudinem dandam, quæ in vase obturato fervetur.

ALCALI

## ALCALI FIXUM VEGETABILE VITRIOLATUM, vulgo TARTARUM VITRIOLATUM.

R. Acidi vitriolici, sextuplo aquæ pondere diluti, quantum velis,

INFUNDE in vas vitreum amplum, et paulatim instilla falis alcalini fixi vegetabilis purificati, sextuplo aquæ pondere soluti, quantum satis sit ad acidum prorsus neutrum reddendum. Effervescentia peracta, liquorem per chartam cola, et post idoneam exhalationem sepone, ut crystalli formentur.



SODA VITRIOLATA, vulgo SAL CATHARTICUS GLAUBERI.

SALEM post destillationem acidi muriatici residuum solve in aqua, per chartam cola, et in crystallos redige.

SAL POLYCHRESTUS.

R. Nitri in pulverem triti,  
Florum sulphuris, pondera æqualia.

BENE commista injiciantur paulatim in crucibulum igne rubens. Peracta deflagratione frigescat sal, et in vas vitreum bene obturandum reponatur.

Hic

Hic sal purior fiet, si aqua calida solutus, per chartam coletur, et demum in crystallos redigatur.

ALCALI FIXUM VEGETABILE TARTARISATUM, vulgo TARTARUM SOLUBILE.

R. Salis alcalini fixi vegetabilis purificati libram unam,  
Aquæ libras quindecim.

SALI in aqua bulliente soluto, tartari crystallos in pulverem tenuem tritas paulatim adjice, quamdiu effervescentiam excitant, quæ fere definit antequam triplum salis alcalini pondus injectum fuerit; dein liquorem refrigeratum per chartam cola,



SODA VITRIOLATA, vulgo SAL CATHARTICUS GLAUBERI.

SALEM post destillationem acidi muriatici residuum solve in aqua, per chartam cola, et in crystallos redige.

SAL POLYCHRESTUS.

R. Nitri in pulverem triti,  
Florum sulphuris, pondera æqualia.

BENE commista injiciantur paulatim in crucibulum igne rubens. Peracta deflagratione frigescat sal, et in vas vitreum bene obturandum reponatur.

Hic

Hic sal purior fiet, si aqua calida solutus, per chartam coletur, et demum in crystallos redigatur.

ALCALI FIXUM VEGETABILE TAR-  
TARISATUM, vulgo TARTARUM  
SOLUBILE.

R. Salis alcalini fixi vegetabilis pu-  
rificati libram unam,  
Aquæ libras quindecim.

SALI in aqua bulliente soluto, tartari crystallos in pulverem tenuem tritas paulatim adjice, quamdiu effervescentiam excitant, quæ fere definit antequam triplum salis alcalini pondus injectum fuerit; dein liquorem refrigeratum per chartam cola,



et post idoneam exhalationem seponere, ut crystalli formentur.

SODA TARTARISATA, vulgo SAL RUPELLENSIS.

EODEM modo paratur sal rupe-lensis e sale alcalino fossili purificato et crystallis tartari.

ALCALI FIXUM VEGETABILE ACETATUM, vulgo TARTARUM REGENERATUM.

R. Salis tartari libram unam.

COQUATUR lenissimo igne in acetii destillati quadruplo vel quintuplo; ac plus acetii destillati diversis vicibus

vicibus adjiciatur, donec, prioris parte aquosa fere vaporando dissipata, novum acetum additum nullam moveat effervescentiam, quod fiet consumptis aceti destillati libris pondere circiter viginti; postea lente exsicce-  
tur. Sal impurus residuus leni igne aliquantisper nec justo diutius lique-  
fiat; dein aqua solvatur, et per chartam coletur. Si liquefactio rite peracta fuerit, liquor colatus limpidus erit; sin minus, coloris fusci. Postea lenissimo igne vaporet hic liquor ex vase vitreo minime profundo, sale dum arefcit subinde moto ut citius ad ficcitatem perducatur. Sal dein in vase optime clauso affer-  
vari debet, ne aëre liquefcatur.



## MAGNESIA ALBA.

R. Salis cathartici amari,  
Salis alcalini fixi vegetabilis puri-  
ficati, pondera æqualia.

SEPARATIM aquæ calidæ duplo  
solvantur, et vel colentur vel aliter  
a fæcibus purificentur; dein misce-  
antur, et protinus adjiciatur aquæ  
ferventis octuplum. Bulliat liquor  
paulisper super ignem, et simul agi-  
tetur; tum quiescat donec calor  
paululum imminuatur, deinde cole-  
tur per linteum, super quod resta-  
bit magnesia, quæ aqua pura abluat-  
ur donec prorsus insulsa fit.

MAG.

MAGNESIA USTA.

MAGNESIA crucibulo indita, ab igne rubescat horas duas; dein in vasis vitreis obturatis fervetur.

L 4

ME-



## M E T A L L I C A.

SAL ARGENTI, vulgo CAUSTICUM  
LUNARE.

R. Argenti purissimi in laminas ex-  
tensi et confissi uncias qua-  
tuor,

Acidi nitrosi tenuis uncias octo,

Aquæ purissimæ uncias quatuor.

SOLVATUR argentum in phiala,  
leni calore, et vaporetur solutio ad  
ficcitatem. Tum massa crucibulo  
amplo indita imponatur igni, qui  
primo lenis, sensim augeatur, donec  
massa fluat instar olei; dein effun-  
datur in fistulas ferreas calefactas, et  
sebo

sebo inunctas; denique in vitrum optime clausum reponatur.

SAL PLUMBI, vulgo SACCHARUM SATURNI.

R. Cerussæ quantum velis, inde cucurbitæ et affunde  
Aceti destillati decuplum.

STET mistum super arenam calidam donec acetum dulcescat, hoc dein separetur; novumque toties affundatur donec dulcescere desinat. Tum liquor omnis defæcatus vaporet in vase vitreo ad spissitudinem mellis liquidioris, et in loco frigido seponatur, ut concrecant crytalli, in umbra ficcandæ. Liquor residuus denuo



denuo exhalet, ut novæ formentur  
cristalli; totiesque iteretur vapora-  
tio donec nullæ amplius concrecant.

## CUPRUM AMMONIACUM.

R. Vitrioli cærulei purissimi partes  
duas,  
Alcali volatilis e sale ammoniaco  
partes tres.

DILIGENTER subige in mortario  
vitreo, donec, finita omni effervescentia,  
placide coeant in massam violaceam,  
quæ, charta bibula obvoluta,  
primo super lapidem cretaceum,  
dein leni calore exsiccata, in vitro  
bene obturato fervetur.

AQUA

AQUA SAPPHIRINA.

R. Aquæ calcis recentis uncias octo,  
Salis ammoniaci scrupulos duos,  
Æruginis tritæ grana quatuor.

MISCE, et post horas viginti quatuor cola.

AQUA STYPTICA.

R. Vitrioli cærulei,  
Aluminis, singulorum uncias tres,  
Aquæ libras duas,  
Acidi vitriolici unciam unam cum  
semisse.

SALES in aqua coque ut solvantur,



tur, dein liquori per chartam colato  
adde acidum.

VITRIOLUM MARTIS, five SAL  
CHALYBIS.

R. Limaturæ ferri purificatæ uncias  
sex,

Acidi vitriolici uncias octo,

Aquæ libras duas cum semisse.

MISCE, et peracta effervescentia,  
stet mixtura aliquamdiu super are-  
nam calidam; deinde liquorem ef-  
fufum per chartam cola, et post ido-  
neam exhalationem sepone, ut cry-  
stalli formentur.

VITRIOLUM CALCINATUM.

R. Vitrioli Martis quantum velis.

IN vase fictili, non vitreato, calcinetur igne modico donec albescat, et ficcissimum fiat.

COLCOTHAR VITRIOLI.

VITRIOLUM calcinatum urgeatur igne vehementi donec tranſierit in materiam ruberrimam.

FLORES MARTIALES, vulgo ENS VENERIS.

R. Colcotharis vitrioli Martis loti et bene exſiccati,

Salis



Salis ammoniaci, pondera paria.

BENE permista sublimentur.

CALX ZINCI, vulgo FLORES ZINCI.

CRUCIBULUM amplum in furno prunis instructo ita collocetur, ut ejus ostium versus paulo inclinetur, et, cum vasis fundus mediocriter canduerit, injiciatur zinci frustulum pondere circiter unius drachmæ. Zincum brevi accenditur, et simul in calcem spongiosam convertitur, quæ subinde a metalli superficie spatula ferrea retrahenda est, ut combustio ejus perfectius absolvatur; et tandem, cessante flamma, calx e crucibulo auferenda est. Alio zinci frustulo

stulo tunc projecto, operatio iteretur,  
et, quoties volueris, repetatur. Calx  
deinde præparetur ut antimonium.

## VITRIOLUM ALBUM.

R. Zinci in frustula discissi uncias tres,  
Acidi vitriolici uncias quinque,  
Aquæ uncias viginti.

ACIDO et aquæ commistis adjice  
zincum, et, finita ebullitione, liquo-  
rem cola; dein, post idoneam exha-  
lationem, sepone in loco frigido, ut  
cristalli formentur.

AQUA



AQUA VITRIOLICA.

R. Vitrioli albi grana sexdecim,  
Aquæ uncias octo,  
Acidi vitriolici tenuis guttas sex-  
decim.

SOLVE vitriolum in aqua; dein  
addito acido, per chartam cola.

ÆTHIOPS MINERALIS.

R. Hydrargyri,  
Florum sulphuris, pondera æqua-  
lia.

TERANTUR in mortario vitreo  
vel lapideo, pistillo vitreo, donec  
globuli

globuli mercuriales visum penitus effugerint.

FIT quoque cum duplici mercurio.

MERCURIUS SUBLIMATUS CORROSIVUS.

R. Hydrargyri,

Acidi nitrosi tenuis, utriusque uncias quatuor,

Salis marini calcinati,

Vitrioli calcinati, utriusque uncias quinque.

SOLVATUR hydrargyrus in acido nitroso, et vaporetur solutio in massam albam penitus siccam; dein adde falem marinum et vitriolum. Be-

M

ne



ne contrita et commixta indantur  
phialæ, quam fere dimidiam imple-  
ant; et ex arena, primum igne leni,  
postea sensim aucto, sublimentur.

SOLUTIO MERCURII SUBLIMATI  
CORROSIVI.

R. Mercurii sublimati corrosivi gra-  
na sex,  
Salis ammoniaci grana duodecim.

SOLVE in aquæ destillatæ libra  
una.

MER.

MERCURIUS DULCIS.

R. Mercurii sublimati corrosivi, in  
mortario vitreo triti, uncias  
quatuor,  
Hydrargyri uncias tres cum se-  
misse.

TERANTUR simul in mortario vi-  
treo ad extinctionem hydrargyri ;  
pulvisque phialæ oblongæ, cujus ter-  
tiam tantum impleat partem, indi-  
tus, ex arena calida sublimetur.  
Sublimatione peracta confractaque  
phiala, pulvis rubens circa fundum  
et albicans circa collum ejus pariter  
rejiciendus est, massa vero reliqua  
ter quaterve denuo sublimanda, et  
in pulverem tenuissimum terenda.



MERCURIUS PRÆCIPITATUS ALBUS.

R. Mercurii sublimati corrosivi quantum velis.

SOLVE aqua calida, et soluto paulatim instilla spiritum salis ammoniaci quamdiu dejicitur pulvis albus, qui sæpius abluatur aqua calida.

MERCURIUS CORROSIVUS RUBER,  
vulgo PRÆCIPITATUS RUBER.

R. Hydrargyri,  
Acidi nitrosi tenuis, utriusque libram unam.

SOL-

SOLVATUR hydrargyrus, lento-  
que igne vaporetur solutio in mas-  
sam albam ficcā; quæ in pulve-  
rem contrita, et cucurbitæ vitreæ  
indita, torreatur igne, sensim aucto,  
materia assidue bacillo vitreo agita-  
ta ut æqualiter incalescat, donec e-  
jus pauxillum, cochleari vitreo ex-  
emptum et refrigeratum, squamas  
splendentes rubras exhibeat. Tum  
vas ab igne removeatur.

## PULVIS MERCURII CINEREUS.

R. Hydrargyri,

Acidi nitrosi tenuis, paria pondera.

MISCE ut solvatur hydrargyrus,  
solutum aqua pura dilue, et adde

M 3

spiritus



spiritus falis ammoniaci quantum  
fatis sit ad hydrargyrum penitus ab  
acido liberandum; pulvis dein aqua  
pura lavetur et exsicceetur.

MERCURIUS FLAVUS, vulgo TUR-  
PETHUM MINERALE.

R. Hydrargyri uncias quatuor,  
Acidi vitriolici uncias octo.

INDANTUR retortæ vitreæ, et de-  
stillentur ex arena ad ficcitatem.  
Calx alba, in fundo relicta, trita con-  
jiciatur in aquam tepidam. Inde  
nascetur illico pulvis flavus, quem  
crebris ablutionibus purificare oportet.

CRO-

CROCUS ANTIMONII, vulgo CROCUS METALLORUM.

R. Antimonii,  
Nitri, pondera paria.

SEPARATIM trita, et bene commista, injiciantur paulatim in crucibulum candens. Peracta deflagratione, materia metallica rubescens a crusta albicante separetur, et teratur in pulverem, qui sæpius abluitur aqua calida donec hæc insipida maneat.



SULPHUR ANTIMONII PRÆCIPITATUM, vulgo SULPHUR AURATUM.

R. Lixivii caustici libras quatuor,  
Aquæ libras tres,  
Antimonii in pulverem triti libras duas.

COQUE in olla ferrea, super ignem lentum, horas tres, assidue agitans spathula ferrea, et addens aquam prout opus fuerit. Lixivium calidum cola per linteum duplex, et liquori adhuc calenti instilla paulatim acidi nitrosi tenuis, quantum fatis sit ad dejiciendum sulphur, aqua calida diligenter abluendum.

CAU-

CAUSTICUM ANTIMONIALE, vulgo  
BUTYRUM ANTIMONII.

R. Antimonii partem unam,  
Mercurii sublimati corrosivi partes duas.

TERITO primum seorsim, dein accurate misce, vaporibus summa cura vitatis. Hac materia, retorta vitrea, cujus collum breve latumque sit, ad dimidiam impleatur; tum adaptato excipulo, destilla ex arena calida, donec liquor spissus ascendens retortæ collo hæreat. Is pruna caute admota liquecat; dein iterum ex alia retorta destilletur, ut liquor pellucidus fiat.



## VITRUM ANTIMONII.

ANTIMONIUM in pulverem crassum, arenæ instar, contritum, insterne super vas fictile, non vitreatum, parum profundum, ignemque suppone lenem, ut antimonium lente calefiat; pulverem interea assidue agitando, ne in grumos coeat. Vapores albi, sulphur olentes, ex eo orientur. Cum hi, eodem ignis gradu, deficient, ignem auge aliquantum, ut iterum vapores exhalet; et sic perge, donec pulvis igne tandem rubescens vapores non amplius exhalet. Calx illa crucibulo indita liquefcat igne violento, donec vitri liquefacti speciem induat; dein effundatur super

per laminam vel patinam æneam calefactam.

VITRUM ANTIMONII CERATUM.

R. Ceræ flavæ drachmam unam,  
Vitri antimonii unciam unam.

CERÆ in vase ferreo liquefactæ  
inijce vitrum in pulverem tritum.  
Calcina igne leni horam dimidiam,  
spathula assidue agitans; dein effun-  
de materiam, quæ frigefacta teratur  
in pulverem.

CALX



## CALX ANTIMONII NITRATA.

R. Antimonii ad vitrum conficien-  
dum calcinati,  
Nitri, pondera æqualia.

COMMIXTA, et crucibulo indita,  
torreantur ita ut per horam rubeat  
materia ; quæ demum, e crucibulo  
exempta, conteratur, et aqua calida  
sæpius abluatur donec saporis expers  
fit.

TARTARUS ANTIMONIALIS, vulgo  
TARTARUS EMETICUS.

R. Caustici antimonialis quantum vis.  
Infunde in aquam fervidam, in  
qua,

Salis

Salis alcalini vegetabilis fixi purificati tantundem prius fuerit solutum, ut præcipitetur pulvis antimonialis, qui probe ablutus exsiccetur.

DEIN aquæ libris quinque adde hujus pulveris drachmas novem, crySTALLORUM tartari in pulverem tenuissimum tritorum uncias duas cum semisse, coque paulisper donec solvantur pulveres. Solutio colata lente vaporet in vase vitreo *ad pelli-  
culam*, ut crySTALLI formentur.



## S Y R U P I.

## SYRUPUS ACETI.

R. Aceti libras duas cum semisse,  
Sacchari purissimi libras tres cum  
semisse.

COQUE ut fiat fyrupus.

## SYRUPUS EX ALTHÆA.

R. Radicum althææ aliquantulum  
ficcatarum uncias novem,  
Aquæ libras decem,  
Sacchari purissimi libras quatuor.

COQUE aquam cum radicibus ad  
dimidiam,

dimidiam, et valide exprimens colla. Liquorem colatum sepone ut fæces subsident, et defæcato adde saccharum; dein coque ut fiat syrupus.

SYRUPUS E CORTICE AURANTIORUM.

R. Corticis exterioris recentis aurantium Hispalensium uncias sex,  
Aquæ bullientis libras tres,  
Sacchari purissimi libras quatuor cum quadrante.

MACERA cortices in aqua per noctem; dein liquori colato et defæcato



fæcato adde faccharum contritum,  
leni calore adhibito, ut fiat fyrupus.

### SYRUPUS BALSAMICUS.

R. Syrupi communis libras duas,  
Tincturæ Tolutanæ unciam u-  
nam.

SYRUPO recens parato, et ab ig-  
ne remoto, cum pene refrixerit,  
immisce paulatim tincturam, affi-  
due agitans.

### SYRUPUS CARYOPHYLLORUM.

R. Caryophyllorum rubrorum recen-  
tium, unguibus resectis, libram  
unam,

Aquæ

Aquæ bullientis libras quatuor,  
Sacchari purissimi libras septem  
cum quadrante.

MACERA flores in aqua per noc-  
tem, dein liquori colato adde sac-  
charum contritum, quod solvatur  
leni calore ut fiat fyrupus.

SYRUPUS COLCHICI.

R. Radicis colchici recentis, succu-  
lentæ, in frusta tenuia sectæ,  
unciam unam,  
Aceti uncias sexdecim,  
Sacchari purissimi uncias viginti  
sex.

MACERA radicem in aceto bidu-  
N um,



um, vas subinde agitans, dein leniter exprimens cola. Liquori colato adde saccharum contritum, et coque paululum ut fiat syrupus.

SYRUPUS SIMPLEX, five COMMUNIS.

R. Sacchari purissimi triti partes  
quindecim,  
Aquæ partes octo.

LENI calore liquetur saccharum.

SYRUPUS E SUCCO MALORUM  
LIMONIORUM.

R. Succi malorum limoniorum, postquam

quam fæces subfederint colati,  
libras duas cum femisse,  
Sacchari purissimi uncias quin-  
quaginta.

SOLVATUR saccharum ut fiat sy-  
rupus.

SYRUPUS PAPAVERIS ALBI, seu de  
MECONIO, vulgo DIACODION.

R. Caputum papaveris albi ficcato-  
rum, feminibus exemptis, li-  
bras duas,  
. Aquæ bullientis libras triginta,  
Sacchari purissimi libras quatuor.

MACERA capita concisa in aqua  
per noctem; dein coque donec ter-



tia tantum pars liquoris superfit, tum valide exprimens cola. Lique-rem colatum coque ad dimidium, et iterum cola ; addito demum saccharo, coque ut fiat fyrupus.

FERI potest etiam hic fyrupus, solvendo, in fyrupi simplicis libris duabus cum semisse, extracti capitum papaveris albi drachmam unam.

### SYRUPUS ROSARUM PALLIDARUM.

R. Rosarum pallidarum recentium  
libram unam,  
Aquæ bullientis libras quatuor,  
Sacchari purissimi libras tres.

MA-

MACERA rofas in aqua per noctem; dein liquori colato et defæcato adde faccharum; denique coquendo fiat fyrupus.

COMMUNE quoque fit hic fyrupus ex liquore post destillatam aquam rosarum residuo, bene defæcato.

## SYRUPUS E ROSIS SICCIS.

R. Rosarum rubrarum siccatarum  
uncias septem,  
Aquæ bullientis libras quinque,  
Sacchari purissimi libras sex.

MACERA rofas in aqua per noctem; dein post brevem ebullitionem cola. Liquori colato adde faccharum, et coque ut fiat fyrupus.



## SYRUPUS SCILLITICUS.

R. Aceti scillitici libras duas,  
Sacchari purissimi contriti libras  
tres cum semisse.

SOLVATUR leni calore saccharum  
ut fiat syrups.

SYRUPUS E RHAMNO CATHAR-  
TICO, seu E SPINÁ CERVINA.

R. Succı defæcati baccharum matura-  
rum rhamni cathartici libras  
septem cum dimidia,  
Sacchari purissimi libras tres cum  
semisse.

COQUE ut fiat syrups.

SY-

SYRUPUS VIOLARUM.

R. Violarum recentium libram unam,

Aquæ bullientis libras quatuor,  
Sacchari purissimi libras septem  
cum dimidia.

MACERA violas in aqua horas viginti quatuor, vase vitreo vel fictili vitreato clauso; dein cola sine expressione, et liquori colato adde saccharum contritum ut fiat syrupus.

SYRUPUS ZINGIBERIS.

R. Zingiberis triti uncias tres,

Aquæ bullientis libras quatuor,

N 4

Sacchari



Sacchari purissimi libras septem  
cum dimidia.

MACERA zingiber in aqua, vase  
clauso, horas viginti quatuor; dein  
liquori colato et defæcato adde sac-  
charum contritum ut fiat syrupus.

PUL-

## P U L V E R E S.

## PULVIS CRETACEUS.

R. Cretæ albæ præparatæ uncias quatuor,  
Nucis moschatæ semidrachmam,  
Cinnamomi drachmam unam.

MISCE, fiat pulvis; qui vicem  
supplet TROCHISCORUM CARDIAL-  
GICORUM.

## PULVIS DIAROMATON, five SPECIES AROMATICÆ.

R. Nucis moschatæ,  
Cardamomi minoris,  
Zingiberis,



Zingiberis, fingulorum uncias  
duas.

MISCE, fiat pulvis, in vitro bene  
obturato fervandus.

PULVIS E JALAPPA COMPOSITUS.

R. Radicis jalappæ unciam unam,  
Cryſtallorum tartari uncias duas.

MISCE, et diligenter aliquamdiu  
tere, ut fiat pulvis tenuiſſimus.

PULVIS E SCAMMONIO COMPOSITUS.

R. Scammonii,

Cryſtallorum

Cryſtallorum tartari, utriuſque  
uncias duas.

MISCE, et diligenter tere, ut fiat  
pulvis.

PULVIS STERNUTATORIUS, five  
CEPHALICUS.

R. Foliorum aſari partes tres,  
          majoranæ partem u-  
          nam.

MISCE, fiat pulvis.

PULVIS STYPTICUS.

R. Aluminis ſeſcunciam,  
Gummi kino drachmas tres.

TE-



TERANTUR simul in pulverem  
tenuem.

PULVIS SUDORIFICUS, five DOVERI.

R. Tartari vitriolati drachmas tres,  
Opii,  
Radici*s* ipecacuanhæ tritæ, utrius-  
que scrupulum unum.

MISCEANTUR et terantur simul  
accurate, donec fiat pulvis.

ELEC-

## ELECTUARIA.

ELECTUARIUM CARDIACUM, vulgo  
CONFECTIO CARDIACA.

R. Conservæ corticis aurantiorum  
uncias tres,

Nucis moschatæ conditæ fescun-  
ciam,

Zingiberis conditi drachmas sex,  
Cinnamomi in pulverem tenuem  
triti semunciam,

Syrupi e cortice aurantiorum  
quantum sufficiat.

MISCE, diligenter subigens, ut  
fiat electuarium.

ELEC-



ELECTUARIUM E CASIA, vulgo  
DIACASIA.

R. Pulpæ casiæ fistularis uncias sex,  
tamarindorum,  
Mannæ, utriusque fescunciam,  
Syrupi rosarum pallidarum uncias  
sex.

MANNAM in mortario tritam, leni calore, syrupo solve; dein adde pulpas, et, continuato calore, ad idoneam spissitudinem redige.

ELECTUARIUM JAPONICUM, vulgo  
CONFECTIO JAPONICA.

R. Terræ Japonicæ uncias quatuor,  
Gummi kino uncias tres,  
Cinnamomi,

Cinnamomi,

Nucis moschatæ, utriusque un-  
ciam unam,

Opii in vini albi Hispani quan-  
tum sufficiat diffusi sesqui-  
drachmam,

Syrupi e rosis ficcis, ad mellis spif-  
situdinem cocti, libras duas  
cum quadrante.

Misce, fiat electuarium.

ELECTUARIUM LENITIVUM.

R. Pulpæ prunorum Gallicorum li-  
bram unam,

casæ,

tamarindorum, singulorum

uncias duas cum semisse,

Syrupi



Syrupi sacchari nigri, vulgo *molasses* dicti, sesquilibram,  
Foliorum fennæ in pulverem tenuem tritorum uncias quatuor,  
Seminum coriandri in pulverem tenuem tritorum semunciam.

PULPIS cum syrupo ad mellis spissitudinem coctis adde pulveres, et bene subige ut fiat electuarium.

#### ELECTUARIUM THEBAICUM.

R. Pulveris diaromaton uncias sex,  
Radici serpentariæ Virginianæ,  
in pulverem tenuem tritæ, uncias tres,  
Opii in vini albi Hispani quantum

tum satis fit diffusi drachmas  
tres,  
Mellis despumati triplum pondus  
pulverum.

MISCE, fiat electuarium; quod  
vicem supplet THERIACÆ EDINEN-  
SIS.

O

PI-



## P I L U L Æ.

## PILULÆ ÆTHIOPICÆ.

R. Hydrargyri drachmas sex,  
Mellis semunciam,  
Sulphuris antimonii præcipitati,  
Gummi guajaci contriti, utrius-  
que semunciam.

TERITO hydrargyrum cum melle  
in mortario vitreo, donec globuli  
mercuriales non amplius appareant;  
dein adde sulphur antimonii et gua-  
jacum, et mucilagine gummi Ara-  
bici fiat massa pilulis formandis ido-  
nea.

PILULÆ ALOETICÆ.

R. Aloes socotorinæ tritæ,  
Extracti crassioris gentianæ, u-  
triusque uncias duas.

Misce, et syrupo simplice fiat  
massa.

PILULÆ E CUPRO.

R. Cupri ammoniaci grana sexdecim,  
Micæ panis scrupulos quatuor,  
Spiritus falis ammoniaci quan-  
tum satis fit.

FIAT massa dividenda in pilulas  
triginta duas æquales.



PILULÆ EX COLOCYNTHIDE CUM  
ALOE, vulgo PILULÆ COCCILÆ.

R. Aloes socotorinæ,  
Scammonii, utriusque uncias  
duas,  
Salis polychresti drachmas duas,  
Colocynthis unciam unam,  
Olei caryophyllorum aromatico-  
rum drachmas duas.

ALOE et scammonium cum sale  
in pulverem redigantur; dein colo-  
cynthis, in pulverem tenuissimum  
trita, et oleum admisceantur; deni-  
que mucilagine gummi Arabici fiat  
massa.

## PILULÆ GUMMOSÆ.

R. Afæ foetidæ,

Galbani,

Myrrhæ, fingulorum unciam unam.

Olei fuccini rectificati drachmam unam.

SYRUPO simplice fiat massa.

## PILULÆ E JALAPPA.

R. Extracti jalappæ uncias duas,

Pulveris diaromaton semunciam.

SYRUPO simplice fiat massa.



PILULÆ E HYDRARGYRO, five  
MERCURIALES.

R. Hydrargyri,  
Mellis, utriusque unciam unam,  
Micæ panis uncias duas.

TERE hydrargyrum cum melle in mortario vitreo donec illius globuli amplius non appareant, addito, prout opus fuerit, fyrupi simplicis aliquantulo; dein micam panis adjice, et aqua fiat massa, statim dividenda in pilulas quadringentas octoginta æquales.

## PILULÆ PLUMMERI.

R. Mercurii dulcis,

Sulphuris

Sulphuris antimonii præcipitati,  
utriusque drachmas sex,  
Extracti gentianæ,  
Saponis albi Hispani, utriusque  
drachmas duas.

TERATUR mercurius cum sulphure ut bene misceantur; dein addatur extractum, et syrupo simplice fiat massa.

PILULI RUFI, five COMMUNES.

R. Aloes socotorinæ uncias duas,  
Myrrhæ unciam unam,  
Croci Anglici semunciam.

SYRUPO simplice fiat massa.



## PILULÆ SCILLITICÆ.

R. Gummi ammoniaci,  
Cardamomi minoris in pulverem  
tenuem triti,  
Extracti glycyrrhizæ, singulorum  
drachmam unam,  
Radiciſ ſcillæ exſiccata, et in pul-  
verem tenuem redacta, ſcrupu-  
lum unum.

Misce, et ſyrupo ſimplice fiat  
maſſa.

## PILULÆ STOMACHICÆ.

R. Rhei unciam unam,  
Aloes ſocotorinæ drachmas ſex,  
Myrrhæ ſemunciam,  
Tartari

Tartari vitriolati drachmam u-  
nam,  
Olei stillatitii menthæ semidrach-  
mam.

SYRUPO e cortice aurantiorum  
fiat massa.

PILULÆ THEBAICÆ, vulgo PACI-  
FICÆ.

R. Opii semunciam,  
Extracti glycyrrhizæ uncias duas,  
Saponis Hispani fescunciam,  
Piperis Jamaicensis unciam u-  
nam.

OPIUM et extractum seorsim spi-  
ritu vinoso tenuiore mollita, et in  
pulpam



pulpam contusa, misce; dein adde  
saponem, et piper in pulverem tri-  
tum; et bene subacta coge in mas-  
sam.

TRO-

## T R O C H I S C I.

## TROCHISCI BECHICI ALBI.

R. Sacchari purissimi libram unam,  
Gummi Arabici uncias quatuor,  
Amyli unciam unam,  
Florum benzoini semidrachmam.

OMNIBUS in pulverem contritis,  
aqua rosarum fiat massa in trochif-  
cos formanda.

## TROCHISCI BECHICI NIGRI.

R. Extracti glycyrrhizæ,  
Gummi Arabici, utriusque un-  
cias quatuor,

Sacchari



Sacchari purissimi uncias octo.

SOLVE aqua calida, et cola; dein vaporet liquor, leni calore, in massam trochiscis formandis idoneam.

TROCHISCI BECHICI CUM OPIO.

R. Opii puri drachmas duas,

Balsami Peruviani drachmam unam,

Tincturæ tolutanæ drachmas tres.

TERATUR opium cum balsamo et tinctura prius permistis donec penitus solvatur; dein paulatim adjice

Syrupi communis uncias octo,

Extracti

## TROCHISCI. 221

Extracti glycyrrhizæ aqua calida  
molliti uncias quinque.

DILIGENTER subigens, sensim in-  
sperge pulveris gummi Arabici un-  
cias quinque. Exsicca ut fiant tro-  
chisci, singuli grana decem penden-  
tes.

### TROCHISCI E NITRO.

R. Nitri uncias tres,  
Sacchari purissimi uncias novem.

CONTERANTUR in pulverem, et  
mucilagine gummi tragacanthæ fi-  
ant trochisci.

TRO-



222 TROCHISCI.

TROCHISCI E SULPHURE, five DIA-  
SULPHURIS.

R. Florum sulphuris uncias duas,  
benzoini scrupulum u-  
num,  
Cinnabaris factitiæ semidrach-  
mam,  
Sacchari purissimi uncias quatuor.

CONTERANTUR simul, et mucilage gummi tragacanthæ fiant trochisci.

LINI-

## LINIMENTA, UNGUENTA, ET CERATA.

IN his componendis, pingua et resinosa leni calore liquecant, dein assidue agitentur, inspersis simul aridis, si quæ sint, in pulverem tenuissimum tritis, donec mistura, diminuto calore, riguerit.

### LINIMENTUM SIMPLEX.

R. Olei olivarum partes quatuor,  
Ceræ albæ partem unam.

### UNGUENTUM SIMPLEX.

R. Olei olivarum partes quinque,  
Ceræ albæ partes duas.

CE-



## CERATUM SIMPLEX.

R. Olei olivarum partes sex,  
Ceræ albæ partes tres,  
Spermatis ceti partem unam.

## UNGUENTUM BASILICUM.

R. Axungiaë porcinæ partes octo,  
Resinæ albæ partes quinque,  
Ceræ flavæ partes duas.

UNGUENTUM EPISPASTICUM E  
PULVERE CANTHARIDUM.

R. Unguenti basilici partes septem,  
Pulveris cantharidum partem u-  
nam.

UN-

UNGUENTUM EPISPASTICUM EX  
INFUSO CANTHARIDUM.

R. Cantharidum unciam unam,  
Aquæ bullientis uncias quatuor,  
Axungiaë porcinæ,  
Terebinthinæ Venetæ, utriusque  
uncias duas,  
Ceraë flavæ,  
Resinæ albæ, utriusque unciam  
unam.

MACERA cantharides in aqua per  
noctem, et, valide exprimens, cola;  
dein liquorem, addita axungia, co-  
que ad humoris aquei consumptio-  
nem; tum adde ceram et resinam;  
quibus liquefactis, et ab igne remo-  
tis, terebinthinam adde.



UNGUENTUM E CERUSSA, vulgo  
ALBUM.

R. Unguenti simplicis partes quin-  
que,  
Cerussæ partem unam.

UNGUENTUM SATURNINUM.

R. Unguenti simplicis partes viginti,  
Sacchari Saturni partem unam.

CERATUM E LAPIDE CALAMI-  
NARI.

R. Cerati simplicis partes quinque,  
Lapidis calaminaris præparati par-  
tem unam.

UNGUENTUM E TUTIA.

R. Linimenti simplicis partes quin-  
que,  
Tutiæ præparatæ partem unam.

UNGUENTUM E CALCE ZINCI,

R. Linimenti simplicis partes sex,  
Calcis Zinci partem unam.

UNGUENTUM EX ÆRUGINE.

R. Unguenti basilici partes quindecim,  
Æruginis partem unam.



## UNGUENTUM CITRINUM.

R. Hydrargyri unciam unam,  
Spiritus nitri uncias duas.

DIGERE super arenam calidam  
ut fiat solutio, quæ calidissima ad-  
huc misceatur cum axungia porci-  
næ liquefactæ, et denuo frigescentis,  
libra una; strenue dein misturam  
subige in mortario vitreo, ut fiat  
unguentum uniforme.

UNGUENTUM EX HYDRARGYRO,  
five CÆRULEUM.

R. Hydrargyri,  
Sevi ovilli, utriusque partem unam,  
Axungia

Axungiaë porcinæ partes tres.

TERE diligenter in mortario donec evanescant globuli.

FIT quoque cum hydrargyro duplici et triplici.

UNGUENTUM E PICE.

R. Picis liquidæ partes quinque,  
Ceraë flavæ partes duas.

UNGUENTUM E SULPHURE, five  
ANTIPSORICUM.

R. Axungiaë porcinæ partes quatuor,

Sulphuris in pulverem tenuissimum triti partem unam,

P 3

Singulis



Singulis unguenti hujus libris ad-  
de

Essentiæ limonum, vel

Olei lavendulæ, semidrachmam.

E M-

## E M P L A S T R A.

## EMPLASTRUM COMMUNE.

R. Lythargyri partem unam,  
Olei olivarum partes duas.

ADJECTA aqua, coque, assidue  
agitans, donec oleum et lithargyrus  
coeant in emplastrum.

## EMPLASTRUM ADHÆSIVUM.

R. Emplastri communis partes quin-  
que,  
Resinæ albæ partem unam,



## EMPLASTRUM CEREUM.

R. Ceræ flavæ partes tres,  
Sevi ovilli,  
Resinæ albæ, utriusque partes duas.

EMPLASTRUM DEFENSIVUM, five  
ROBORANS.

R. Emplastri communis partes vi-  
ginti quatuor,  
Resinæ albæ partes sex,  
Ceræ flavæ,  
Olei olivarum, utriusque partes  
tres,  
Colcotharis vitrioli partes octo.

TERATUR colcothar cum oleo, et  
dein cæteris liquefactis adjiciatur.

EM.

EMPLASTRUM FOETIDUM, vulgo  
ANTIHYSTERICUM.

R. Emplastri communis,  
Afa foetidæ colatæ, utriusque par-  
tes duas,  
Ceræ flavæ,  
Galbani colati, utriusque partem  
unam.

EMPLASTRUM GUMMOSUM.

R. Emplastri communis partes octo,  
Gummi ammoniaci colati,  
Galbani colati,  
Ceræ flavæ, singulorum partem  
unam.

EM-



EMPLASTRUM E HYDRARGYRO,  
five CÆRULEUM.

R. Olei olivarum,  
Refinæ albæ, utriusque partem u-  
nam,  
Hydrargyri partes tres,  
Emplastri communis partes sex.

CUM oleo et refina, liquefactis si-  
mul et dein refrigeratis, teratur hy-  
drargyrus donec evanescant globuli;  
tum paulatim addatur emplastrum  
simplex liquefactum, et omnia ac-  
curate misceantur.

EM.

## EMPLASTRA. 235

### EMPLASTRUM SAPONACEUM.

R. Emplastri communis partes quatuor,  
Emplastri gummosi partes duas,  
Saponis albi Hispani rasi partem unam.

EMPLASTRIS simul liquefactis sapo admisceatur; dein coquantur paululum ut fiat emplastrum.

### EMPLASTRUM VESICATORIUM.

R. Axungiae porcinae,  
Cerae flavae,  
Resinae albae,  
Cantharidum, singulorum paria pondera.


CAN-



CANTHARIDES in pulverem tenuem tritæ, cæteris liquefactis, et ab igne remotis, adjiciantur.



F I N I S.



# I N D E X

## Medicamentorum Præparatorum et Compositorum.

A	Pag.
Aceta	102
Acetum destillatum	143
scilliticum	102
Acidum muriaticum	143
nitri vinosum	145
nitrosum	144
nitrosum tenue	145
vitriolicum tenue	146
vitriolicum vinosum	148
Æthiops mineralis	176
Alcali fixum vegetabile acetatum	164
tartarifatum	163
vitriolatum	161
volatile causticum	150
volatile ex sale ammoniaco	149
Alumen ustum	71
Antimonium præparatum	71
Aqua anethi	131
	Aqua



# I N D E X.

	Pag.
<b>Aqua calcis</b>	92
carvi	133
cassiae lignae	132
cinnamomi simplex	ib.
spirituosa	133
corticis aurantiorum Hispalen-	
sium	132
malorum limoniorum	ib.
destillata	131
juniperi composita	134
menthae piperitidis simplex	132
spirituosa	133
fativae	132
nucis moschatae	134
piperis Jamaicensis simplex	132
spirituosa	134
pulegii	132
rosarum	ib.
sapphirina	171
feminum anethi simplex	131
styptica	171
vitriolica	176
<b>Aquae stillatitiae simplices</b>	131
spirituosae	133
	B

# I N D E X

	Pag.
<b>B</b>	
Balsamum anodynum	125
saponaceum	126
sulphuris crassum	142
traumaticum	127
Butyrum antimonii	185
<b>C</b>	
Calaminaris lapis præparatus	72
Calx antimonii nitrata	188
zinci	174
Causticum antimoniale	185
commune acerrimum	159
mitius	160
lunare	168
Cerata	223
Ceratum e lapide calaminari	226
simplex	224
Colcothar vitrioli	173
Confectio cardiaca	205
Japonica	206
Conservæ	79
Conserva aurantiorum	ib.
menthæ	ib.
	Conserva



# I N D E X.

	Pag.
<b>Conserva prunorum silvestrium</b>	80
rosarum	79
<b>Creta præparata</b>	73
<b>Crocus antimonii</b>	183
metallorum	ib.
<b>Cuprum ammoniacum</b>	170

## D.

<b>Decocta</b>	93
<b>Decoctum althææ</b>	ib.
commune	ib.
hordei	94
lignorum	95
fenekæ	96

## E

<b>Electuaria</b>	205
<b>Electuarium cardiacum</b>	ib.
diacasia	206
e casia	ib.
Japonicum	ib.
lenitium	207
Thebaicum	208
<b>Elixir aloes</b>	115
<b>Elixir</b>	

# I N D E X.

	Pag.
<b>Elixir ex aloe et rheo</b>	118
guajacinum	110
volatile	ib.
paregoricum	114
proprietas	115
vitriolicum	116
sacrum	118
salutis	120
stomachicum	104
traumaticum	127
vitrioli acidum	123
dulce	124
<b>Emplastra</b>	231
<b>Emplastrum adhæsivum</b>	ib.
antihystericum	233
cæruleum	234
cereum	232
commune	231
defensivum	232
e hydrargyro	234
foetidum	233
gummosum	ib.
roborans	232
Q	Emplastrum



# I N D E X.

	Pag.
Emplastrum saponaceum	235
vesicatorium	ib.
Emulfiones	86
Emulsio Arabica	ib.
communis	ib.
Ens Veneris	173
Extracta	128
Extractum capiti papaveris albi	129
corticis Peruviani	130
foliorum pulsatillæ nigri-	
cantis	129
rutæ	ib.
gentianæ	128
hellebori nigri	129
jalappæ	129
ligni Campechensis	130
melampodii	129
feminum cicutæ	ib.

## F

Ferri limatura præparata	73
purificata	73
rubigo	ib.
squamæ purificatæ	74

Flores

# I N D E X.

	Pag.
<b>Flores benzoini</b>	148
<b>Martiales</b>	173
<b>zinci</b>	174

## H

<b>Herbarum et florum exsiccatio</b>	74
--------------------------------------	----

## I

<b>Infusa</b>	87
<b>Infusum amarum</b>	ib.
rhei	88
rosarum	ib.
tamarindorum cum fenna	89

## L

<b>Laudanum liquidum</b>	121
<b>Linimenta</b>	223
<b>Linimentum anodynum</b>	125
saponaceum	126
simplex	223
<b>Liquor æthereus vitriolicus</b>	146
<b>Lixivium causticum</b>	157

## Q 2

## M



# I N D E X.

	Pag.
M	
Magnesia alba	166
usta	167
Mercurius corrosivus ruber	180
dulcis	179
flavus	182
præcipitatus albus	180
ruber	ib.
sublimatus corrosivus	177
Metallica	168
Millepedæ præparatæ	75
Mucilago gummi Arabici	91
tragacanthæ	ib.
O	
Oculi cancrorum præparati	75
Olea essentialia	137
expressa	85
stillatitia	137
Oleosa	142
Oleum camphoratum	ib.
e cornubus rectificatum, five	
oleum animale	139
	Oleum

# I N D E X.

	Pag.
Oleum effentiale anifi	137
juniperi	ib.
lavendulæ	ib.
menthæ piperitidis	ib.
fativæ	ib.
piperis Jamaicensis	ib.
rorismarini	ib.
fabinæ	ib.
fassafras	ib.
expressum amygdalarum	85
succini	140
rectificatum	141

## P

Pilulæ	210
Æthiopicæ	ib.
aloeticæ	211
coccicæ	212
ex colocynthide cum aloë	ib.
communes	215
e cupro	211
gummosæ	213
e hydrargyro	214
e jalappa	213

## Q 3

Pilulæ



# I N D E X.

	Pag.
<b>Pilulæ mercuriales</b>	214
<i>pacificæ</i>	217
<b>Plummeri</b>	214
<b>Rufi</b>	215
<i>scilliticæ</i>	216
<i>stomachicæ</i>	ib.
<i>Thebaicæ</i>	217
<b>Potio cretacea</b>	90
<b>Pulparum extractio</b>	76
<b>Pulveres</b>	201
<b>Pulvis cephalicus</b>	203
<i>cretaceus</i>	201
<i>diaromaton</i>	ib.
<b>Doveri</b>	204
<i>e jalappa compositus</i>	202
<i>e scammonio compositus</i>	ib.
<i>mercurii cinereus</i>	181
<i>sternutatorius</i>	203
<i>stypticus</i>	ib.
<i>sudorificus</i>	204

## R

<b>Rob sambuci</b>	84
	S

# I N D E X

	Pag.
<b>S</b>	
Saccharum Saturni	169
Sal alcalinus fixus vegetabilis purifi-	
catus	156
fossilis purificatus	157
ammoniacus volatilis	149
argenti	168
catharticus Glauberi	162
chalybis	172
plumbi	169
polychrestus	162
rupellenfis	164
tartari	154
Sales et falina	143
Scillæ exsiccatio	77
Soda tartarifata	164
vitriolata	162
Solutio mercurii sublimati corrosivi	178
Species aromaticæ	201
Spiritus lavendulæ compositus	136
simplex	135
Mindereri	154
nitri dulcis	145
Q 4	Spiritus



# I N D E X.

	Pag.
Spiritus nitri Glauberi	144
rorismarini	135
salinus aromaticus	153
salis ammoniaci	150
cum calce	
viva	150
vinosus	152
marini	143
stillatitii	135
vinosus camphoratus	125
vitrioli dulcis	148
tenuis	146
volatilis aromaticus	153
foetidus	ib.
oleosus	ib.
Spongiæ ustio	77
Succi	81
Succi ad scorbuticos	ib.
spissati	82
Succus spissatus aconiti	82
baccarum sambuci	84
belladonnæ	83
cicutæ	ib.
	Succus

# I N D E X.

	Pag.
Succus spissatus hyoscyami	83
Sulphur antimonii auratum	184
præcipitatum	ib.
Syrupi	190
Syrupus aceti	ib.
ex althæa	ib.
e cortice aurantiorum	191
balsamicus	192
caryophyllorum	ib.
colchici	193
communis	194
diacodion	195
de meconio	195
papaveris albi	ib.
e rhamno cathartico	198
rosarum pallidarum	196
e rosis ficcis	197
scilliticus	198
simplex	194
e spina cervina	198
e succo malorum limoniorum	194
violarum	199
zingiberis	ib.

T



# I N D E X.

	Pag.
T	
Tartarus antimonialis	188
emeticus	ib.
Tartarum regeneratum	164
solubile	163
vitriolatum	161
Testæ ostreorum præparatæ	78
Tinctura absinthii	103
amara	104
antiphthifica	119
aromatica	104
cantharidum	105
cardamomi	106
castorei	ib.
composita	107
cinnamomi	ib.
corticis Peruviani	108
croci	ib.
foetida	109
fuliginis	ib.
hellebori albi	123
nigri	111
jalappæ	ib.
	Tinctura

# I N D E X.

	Pag.
Tinctura Japonica	112
e kino	ib.
Martis	113
melampodii	111
moschi	113
myrrhæ	114
rhei	117
amara	118
dulcis	117
sacra	97
saturina	119
sennæ composita	120
serpentariæ	ib.
Thebaica	121
Tolutana	ib.
valerianæ volatilis	122
veratri	123
Tincturæ	103
Trochisci	219
Trochisci bechici albi	ib.
nigri	ib.
cum opio	220
diafulphuris	222
e nitro	221

Trochisci



# I N D E X.

	Pag.
Trochisci e sulphure	222
Turpethum minerale	182
<u>Tutia præparata</u>	78

## V

Vina	97
Vinum aloeticum	ib.
amarum	ib.
antimoniale	99
e tartaro antimoniali	ib.
ipecacuanhæ	100
millepedatum	ib.
rhei	101
Vitriolum album	175
calcinatum	173
Martis	172
Vitrum antimonii	186
ceratum	187
Unguenta	223
Unguentum album	226
antipforicum	229
ex ærugine	227
basilicum	224

Unguentum

# I N D E X.

	Pag.
Unguentum cæruleum	228
e calce zinci	227
e cerussa	226
citrinum	228
epispasticum e pulvere	
cantharidum	224
ex infuso	
canthari-	
dum	225
ex hydrargyro	228
e pice	229
Saturninum	226
simplex	223
e sulphure	229
e tutia	227

## F I N I S.





**BOOKS printed and sold by JOHN BELL, Par-  
liament Square.**

1. *Principia Medicinæ*, auctore Francisco Home, Med. Reg. Col. Med. Edin. Soc. et Med. Mat. Med. Prof. in Acad. Edin. editio tertia, price 5 s. bound.

2. *Methodus Materiæ Medicæ*, auctore Francisco Home, Med. Reg. Col. Med. Edin. Soc. et Med. Mat. Med. Prof. in Acad. Edin. price 1 s. sewed.

3. *Letters on the Materia Medica*; containing the natural history of drugs, their virtues, and doses; also directions for the study of the Materia Medica, and an appendix on the method of prescribing. Published from the manuscript of the late Dr Charles Alston, Prof. of Bot. and the Mat. Med. in the Univ. of Edinb. by John Hope, M. D. Profes. of Med. and Bot. in that Univer. 2 vols 4to, price L. 1, 16 s. bound.

4. *Physiological Essays and Observations*, by John Steedman, M. D. Fellow of the Royal Col. of Phys. in Edinburgh, price 2 s. 6 d. sewed.

5. *Douglas on the Muscles*, a new edition, with an account of the Blood-vessels and Nerves. 8vo. 4 s. bound.

6. *First Lines of Physiology*, by the celebrated Baron Albert Haller, M. D. &c. Translated from the correct Latin edition printed under the inspection of William Cullen, M. D. price 7 s. bound.

7. *Halleri Primæ Linæ Physiologiæ*, 8vo, price 6 s. bound.

8. *A Treatise on Comparative Anatomy*. By Alexander Monro, M. D. F. R. S. Fellow of the Royal Col. of Phys. and late Profes. of Med. and Anat. in the Univ. of Edinburgh. Published by his Son Alex. Monro, M. D. Profes. of Med. and of Anat. and Surg. in the Univ. of Edinburgh. A new edition. With considerable improvements and additions, by other hands. Price 2 s. 6 d. in boards.

9. *Dr Monro's Anatomy of the Bones, &c.* with the *Comparative Anatomy* bound in with it. Price 4 s. in boards, and 5 s. neatly bound.



*BOOKS printed for JOHN BELL.*

10. The whole Works of Dr Alexander Monro senior, with plates, and a head of the author. royal 4to. 1 l. 5 s. boards.

11. A System of Surgery, Vol. 1. By B. Bell, member of the Royal Col. of Surgeons of Edinburgh, and one of the Surgeons to the Royal Infirmary. 8vo 6 s. in boards. — This volume, amongst other things, treats of Sutures, Hæmorrhagies, Blood-letting, Aneurisms, Herniæ, Hydrocele, Hymatocele, Scirrhus Testicle, Diseases of the Penis, &c. &c.

12. Thesaurus Medicus, a selection of the best medical theses delivered in the University of Edinburgh, from its institution to the present time, executed by the approbation of the present professors, 2 vols 8vo, 12 s. boards.

13. Van Swieten's (Baron) Commentaries upon Boerhaave's aphorisms concerning the knowledge and cure of diseases, a correct edition, dedicated to Dr Cullen, 18 vols, royal paper, 3 l. 3 s.

14. Innes's Eight Anatomical Tables of the Human Body, containing the principal parts of the skeleton and muscles represented in the large tables of Albinus, with concise explanations, and the life of the author, small 4to, new edition, 6 s. boards.

15. Innes's Short Description of the Human Muscles, chiefly as they appear on dissection, together with their several uses, and the synonyma of the best authors, a new edition, greatly improved by Alexander Monro, M. D. 12mo, 2 s. 6 d. boards.

16. Smellie's Theory and Practice of Midwifery; to which is now added, his set of Anatomical Tables, exhibiting the various cases that occur in practice, accurately engraven by Andrew Bell, on 40 copper-plates, with explanations; the whole corrected by an eminent man-midwife; 3 vols, 10 s. 6 d. neatly bound; 9 s. boards.

17. Smellie's set of Anatomical Tables, and an abridgement of the practice of midwifery, with a view to illustrate his treatise on that subject, and collection of cases, 8vo size 6 s. 12mo size 5 s. boards.







